LENSES—R. & J. BECK, 68, Cornhill, London.

EDWARDS' ISOCHROMATIC PLATES.

EDWARDS' LANTERN PLATES.

THE OPTICAL

MAGIC LANTERN

— JOURNAL —

AND

PHOTOGRAPHIC ENLARGER.

A Magazine of Popular Science for the Lecture-room and the Domestic Circle.

Edited by J. HAY TAYLOR.


[Entered at Stationers' Hall.]

Vol. 2.—No. 31. DECEMBER 1, 1891. Price 1d., Post-free 1½d.

PERKEN, SON & RAYMENT, 99, HATTON GARDEN, HOLBORN VIADUCT, **LONDON. 'OPTIMUS.'**

Each Magic Lantern is efficient for exhibitions. The Lens gives crisp definition, being a superior Achromatic Photographic Combination (large diameter back lens), with rack and pinion. It is fitted to a telescopic lengthening tube, so gaining increased focal accommodation. The Condenser is composed of two plano-convex lenses of 4 inches diameter. The refulgent lamp has 3 wicks, (or 4 wicks 2s. extra,) yielding a brilliantly illuminated picture.--Each is complete in box.

THE MAGIC LANTERN: ITS CONSTRUCTION AND USE. Contains complete Instructions. Cloth covers. **PRICE 6d.**



Japanned Metal 30s. | Russian Iron Body Brass Sliding Tubes, 45s. | Perforated Russian Iron Body, Brass Sliding Tubes, 50s. | Mahogany outside Body 2 Panelled Door, Brass Stages, Sliding Tubes, 82s.

LANTERN PHOTOGRAPHS, 12s. per doz. **PLAIN,** 18s. 6d. per doz. **COLOURED.**


CATALOGUE POST FREE.

'OPTIMUS' BI-UNIAL LANTERN FOR LIME-LIGHT.

Panelled Mahogany Body, 4 doors and moulded foot, Achromatic Photographic Front Lens, Compound Condensers Brass Stages and Sliding Tubes £8 8

'OPTIMUS' TRIPLE LANTERN.

The Top Lantern may be used separately with Oil Lamp. Panelled Mahogany Body, 6 doors and moulded foot, Brass Stages and Tubes, Achromatic Front Lens, Compound Condensers ... £14 10



MAGIC LANTERN & SLIDES.

WALTER TYLER'S ADDITIONAL PREMISES are now Completed, and the New Slide Library is one of the sights of London to those interested in Lantern work. It contains many thousands of Slides. The Best and Cheapest House for Hire or Purchase of Lanterns, Apparatus, or Slides. Very large number of Second-hand Lanterns, Slides, and Apparatus which have been Purchased, Taken in Exchange or Lent on Hire, to be Sold; great bargains. Large Book, costing hundreds of pounds to produce, containing 350 pages, with instructions for working all kinds of Lanterns and Apparatus post free to any part of the world for 6 stamps. Gratis to purchasers; or smaller Catalogue, post free, to all applicants.

WALTER TYLER,
48 to 50, Waterloo Road,
LONDON, E.C.

Telephone—4848. *Telegraphic*—WALTER TYLER, LONDON.

PROMPT DESPATCH · BEST QUALITY · LOWEST PRICES

THIS NUMBER CONTAINS INDEX.

DALLMEYER'S LENSES

Are used by all the Leading Photographers, both Amateur and Professional, THROUGHOUT THE WORLD, and have obtained the

HIGHEST AWARDS WHEREVER EXHIBITED.

DALLMEYER "On the Choice and Use of Photographic Lenses." Price 1s.

New Descriptive Catalogue of Photographic Lenses and DALLMEYER'S LENSES & CONDENSERS SPECIALLY CONSTRUCTED FOR THE OPTICAL LANTERN, WILL BE POSTED FREE ON APPLICATION.

J. H. DALLMEYER, OPTICIAN, 25, NEWMAN STREET, LONDON, W.

Telegraphic and Cable Address—"DALLMEYER, LONDON."

SLIDE PAINTING COLOURS,

SPECIALLY PREPARED for PAINTING MAGIC LANTERN SLIDES.

In Collapsible Tubes and Glass Pots.

Boxes fitted with Varnish Colours, 5s., 15s., and 30s. each.

,, ,, Water ,, 2s., 5s., and 21s. ,,

Just Published, "*A Manual on Painting on Glass and How to Use the Magic Lantern*," 1s. each.





Price Lists post free.


J. BARNARD & SON,

MANUFACTURING ARTISTS' COLOURMEN,

RETAIL, WHOLESALE, AND EXPORT,

19, Berners Street, London W.

GOLD AND SILVER MEDALS AWARDED.



Bi-Unial Lantern of Highest Quality.

Every Lanternist should send for one of

J. H. STEWARD'S ILLUSTRATED CATALOGUES

OF HIGH-CLASS

Single, Bi-Unial, & Triple Lanterns.

GRATIS, POST FREE.

New Lanterns, New Apparatus, New Jets, New Photographic Sets, New Effects, and Dissolving Views.

Best Quality, Moderate Prices. Everything Personally Tested and Guaranteed.

406, STRAND; 457, WEST STRAND; 54, CORNHILL, LONDON.

WOOD'S

LANTERNS AND SLIDES

ON SALE OR HIRE. 100,000 Slides to Select from.

PLAIN SLIDES, 12s. per doz.

The "EUPHANERON" LANTERN, with the four-wick W Lamp, £4 4s.

The "CHEAP" LANTERN, with 4-in. Condenser and three-wick Lamp, £1 10s.

"MAGIC LANTERNS: How Made and How Used," by A. A. WOOD, post free, 1s. 2d.

Wood's New List of Slides and Lanterns. Post-free for One Stamp.

E. G. WOOD, 74, CHEAPSIDE, LONDON.

And HORNE, THORNTHWAITE & WOOD, 41, STRAND, LONDON, W.C.

THE OPTICAL

MAGIC LANTERN

JOURNAL

AND

PHOTOGRAPHIC ENLARGER.

EDITED BY J. HAY TAYLOR.

Vol. 2.—No. 31. [Entered at Stationers' Hall.] DEC. 1, 1891. Price One Penny.

CONTENTS.

	PAGE
Notes	177
New Form of Incandescent Light for the Lantern	178
Explosion at a Lantern Entertainment	178
Ether Saturators and Other Matters	179
Colouring Lantern Slides—No. 6	179
Our Visits—No. 2	180
Compressed Gas Cylinder Fittings	181
How I Became a Lanternist—No. 9	182
Mr. J. Traill Taylor's Form of Triple Condenser and Fittings	183
"Notes" on "Queries"	184
The Eth-oxo Light	184
Stereoscopic Effects with the Lantern	185
Hints and Helps—No. 4	186
Editorial Table	186
Correspondence—	
Re Click in Beard's Regulator	187
Lantern Microscope	187
Rolling Curtain Shutter	187
Notes and Queries	188

Notices.

THE *Optical Magic Lantern Journal and Photographic Enlarger* is issued on the 1st of every month, price One Penny, and may be obtained from all Newsvendors, Railway News Stalls, Photographic Dealers, or from the Publishers, at the following rates, post free :—

	Continental.	United States.
12 months	1/6	2/-	60 cents.
Single copies	-/1½	-/2	6 ,,

Advertisements (Scale of Charges), displayed :—

	£ s. d.
Front and back pages, by arrangement.	
Ordinary page, facing matter (whole)	3 0 0
,, ,, (half)	1 15 0
,, ,, (quarter)	1 0 0
,, ,, (eighth)	10 0
,, ,, per 1 inch in column	6 0
,, ,, ,, ½ ,, ,,	3 0

Special quotations for a series.

Exchange Column, General Wants, &c. (not Trade)—

First 20 words, 6d.; and for every 3 additional words, 1d.

Advertisements must reach the office not later than the 24th of each month. All cheques and postal orders to be made payable to Taylor Brothers.

Editorial communications must be addressed, The Editor; advertisements and business communications to Taylor Brothers, care of the Publishers, Dorset Works, Salisbury Square, Fleet Street, London, E.C.

American Agents:—The International News Co., 83 and 8 Duane Street, New York City.

Notes.

WITH the present issue we end our second volume, which includes, from June 1, 1890 (nineteen months). We have continued Vol. II. until this month, in order that in future each volume may begin with the New Year.

* * *

WALTER GRIFFITHS AND CO. (LIMITED) have made arrangements with the Fry Manufacturing Company, whereby the latter will act as London agents for their Guinea Hand Camera, a large stock of which will be found at their show-rooms in Chandos Street.

* * *

A BINOCULAR lanternscope, on the principle we advocated on page 72 of the present volume, is to be placed upon the market by Messrs. J. F. Shew and Co., of Newman Street, W.

* * *

THE National Sunday League are holding a series of instructing and amusing lectures throughout London on Sunday evenings. On the 15th ult., Mr. T. C. Hepworth gave a lecture, at Middelton Hall, N., on "Marvels of Modern Photography," with lantern illustrations. A very large audience was present, and great interest is taken in these Sunday evenings. Full particulars of this movement may be obtained from Mr. H. Mills (Secretary), 221, High Holborn, W.C.

* * *

THE recent gas-bag explosion at Ilkeston is, without doubt, the greatest calamity that has occurred in connection with the use of the lantern.

* * *

WITH our next volume we hope to commence a series of articles, containing advice and practical instructions intended for the inexperienced.

* * *

DURING the next few days we intend trying the new single lantern dissolver, introduced by Messrs. Archer and Sons, of Liverpool, and will give a description of it in our next.

* * *

WE wish all our friends and readers "A MERRY CHRISTMAS."

New Form of Incandescent Light for the Lantern.


THE Welsbach system of incandescent lighting has, by a modification, been made applicable to optical lanterns. In the ordinary domestic form of burner the candle power ranges about twenty-five, this being at the ordinary pressure of gas obtained from the house mains. By increased pressure the intensity of the light is greatly added to and it is this feature which has been found to make it applicable as an illuminant for optical lanterns. A mantle or cone which is rendered incandescent surrounds the top of the burner, and is made as follows: German cotton is knitted in the form of a cylinder by an ordinary "stocking knitting machine," after which it is well washed in from twelve to fifteen changes of water, acids, &c., in order to ensure its being quite free from greasiness or other impurities. It is then thoroughly dried. The cotton tubing is now impregnated with metallic oxide—presumably Lanthanum or Zirconium—and allowed to dry in a uniform temperature of 110° Fahr. It is then cut into lengths of a few inches and one end of each length drawn together or closed.

Next it is necessary to destroy the cotton and leave only a skeleton of metallic oxide, this is quickly effected by suspending the mantle and playing upon the upper part with a bunsen burner for a few minutes, when the cotton will slowly be consumed with a yellow flame. The cotton once having begun to ignite, burns slowly downwards without further application of the bunsen flame. In a few minutes this is complete.

Whilst the cone is hot it is shaped by the manipulation of a couple of metallic rods. It is then requisite to "season" it by placing it above a bunsen burner for several hours, it is now extremely fragile, but is strengthened by dipping in a solution of collodion and india-rubber, which renders it of sufficient toughness to be sent in a small box through the post if desired.

For lantern work a bunsen burner surmounted by a mantle is placed inside of the lantern, no glass chimney being required, as is the case when this form of light is employed for domestic purposes, but as the intensity of the light depends upon the pressure of the gas, it is necessary to use a forcer, but as the quantity thus used is very great, The Incandescent Gas Light Company, of 14, Palmer-street, Westminster, have devised a method by which common air is employed instead of gas, for which purpose they supply a blower, or air generator, a carburretter and an air bag.

The pump or air generator is in the form of an elongated ball C. of stout vulcanised rubber and is provided with a valve at either end; this is placed upon the floor, and air is pumped into the air bag B. which is also made of stout rubber. After passing through the carburretter A., which contains benzoline, it becomes a luminous gas which can be burned in the bunsen burner at the part where the mantle is placed. With good pressure the light is exceedingly brilliant at a cost, we are informed, of less than a penny an hour. The mantle requires to be replaced after burning about two hundred hours.



Instead of the foot blower mentioned, compressed air in cylinders can be used, or an ordinary gas bag charged with air and placed between pressure boards will answer for a time.

It might be interesting to try the effect of introducing a small stream of oxygen into the centre of the mantle whilst in the incandescent state, but this we did not have facilities for doing at the time when we tried this form of illuminant.

—:o:—

Explosion at a Lantern Entertainment.

A SAD calamity occurred at Ilkeston, on the 18th ult. Councillor Jos. Scattergood had arranged to give a lantern entertainment, in order to wipe off a debt of the Pleasant Sunday Afternoons Association, and a large audience had assembled at the Methodist Church to witness "Little Nell." Immediately upon the oxygen being turned on, a sharp crack, not unlike a pistol-shot, occurred, and this was immediately followed by a tremendous explosion, which caused sad havoc. All the windows of the church, except one, were blown out, a young man almost instantly killed, and several people injured.

The large windows in the front of the building were composed of small squares of glass and lead frames, and although they were not blown out, they were twisted out of shape. The inside appeared in a very sad condition, chairs were strewed about the place, and glass, which had fallen inwards from the broken windows, was distributed all over the floor. The roof has not escaped, for large pieces of plaster were dislodged, and the gas-brackets and roof-beams contain particles of a coloured table-cloth that covered the box upon which the lantern stood. Three iron

Prize Medals, Liverpool International Exhibition, 1886.
Photographic Exhibition, 1888.

ARCHER'S NEW OPTICAL LANTERNS.

Proved superior to all others. See reports.

The "IDEAL," our new perfect Single Lantern, and Automatic Dissolver,

are now ready.

The Dissolver will work in any Single Lantern having slide stage with open top, and is a long way the best yet invented.

PATENTED 1891. **Price 25s.**

ARCHER & SONS,

LANTERN SPECIALISTS.

Lists free One Stamp. Many Novelties. Established 1848.

43 to 49, LORD ST., LIVERPOOL.

Effect Slides painted for the Wholesale London Houses.
All kinds of Slides made to Order.

Scott's Patent

WARM AIR SATURATOR.

For Ether or Benzoline. Prices 36s. and 50s.

Testimonial from Mr. W. King, Manager to Messrs. York & Son, Lantern Slide Makers :— "Photo Works, Bridgwater, Feb. 27, 1891

"Dear Sir,—The hot-air Benoline Saturator you supplied to me I have used four times during the season, with perfect success. The light from it is splendid, and is free from the objectionable snaps and pops when the light is put out. I consider it to be a perfectly safe instrument to use."

Slide-Painting Colours, 1s. each.

A. W. SCOTT, Ashcombe Road, Weston-super-Mare.

Dissolving View Magic Lanterns and Slides.

Photographic Apparatus, Scientific Instruments and every description of miscellaneous property.

MR. J. C. STEVENS begs to announce that he holds Sales of the above, every Friday, at half-past twelve precisely, at his great Rooms, 38, King Street, Covent Garden, London.

Gentlemen wishing to include property in these Sales, are requested to send particulars one week prior to Sale.

YORK'S OPTICAL LANTERN SLIDES

(ELEVEN PRIZE MEDALS)

May be obtained from all the leading Opticians, Photographic Dealers and Chemists, from whom Catalogues may be had on application; also, direct from

YORK & SON,

87, LANCASTER ROAD, NOTTING HILL, LONDON, W.

NEGATIVES BOUGHT.

Established 1839.

LANTERN SLIDE CARRIERS, Photo Blocks, and Slide Frames of every description; also Roller Squeegees, Photographic Shutters, Stands, &c.

Original Manufacturer of the Lighting Carrier.

TRADE ONLY. PRICES ON APPLICATION.

BARTLETT, 2, DORSET VILLAS, NORTHUMBERLAND PARK, TOTTENHAM, LONDON.

WORKS:—HOXTON, N.

H. HUGHES AND SON,

LANTERN SEASON, 1891 & 1892.

All New Slides and Apparatus now Ready.

OUR SPECIAL OPTICAL LANTERN, 35 SHILLINGS.

Hire Terms greatly reduced,

NEW ILLUSTRATED CATALOGUE POST FREE.

59, Fenchurch Street, London, E.C.

FANTOCCINI SLIDES.

Numerous Designs of these interesting Mechanical Slides are now ready. Send for full particulars to PERKEN, SON & RAYMENT, 99, Hatton Garden, London, E.C. or to the Manufacturer and Proprietor, W. CHEFFINS, Holbech, Lincolnshire.

Read the article in the April, '91, issue of the "Optical Magic Lantern Journal," headed **FANTOCCINI SLIDES.**

GENERAL WANTS, &c.

SETS of SLIDES from original negatives at 5/- plain and 8/- Coloured. Lists free. Slides lent. New life sets. J. MCLELLAN, 36, St. Paul's Road, Canonbury.

WANTED.—Photo Slides of the Spider, Ant, Bee, and Fly. Photo Micros. preferred.—W. PENLEY, Maliphant Street, Swansea.

LANTERN OPERATOR.—Thoroughly competent, with first-class outfit. Requires engagements for coming season. Terms moderate.—A., 7, Ryder St, S.W.

LANTERN SLIDES on Bees and Beekeeping, Practical and Scientific, for loan or sale.—Apply, RECTOR, Farndish, Wellingborough.

WANTED.—Lantern Slides from *direct* Photographs illustrating the daily life of the "Submerged Tenth" in London, Scenes at Dock Gates and other centres of Industry.—J. S., Fernleigh House, Trowbridge.

WANTED.—Lancaster's lantern slide Multum-in-Parvo Camera, complete; cheap; also extra wet and dry slides to fit same.—Particulars and lowest price to W., 21, Thorpe Road, Forest Gate, London, E.

OBER-AMMERGAU PASSION PLAY, 1890.—Fifty Slides beautifully coloured, to be Sold; a Bargain. Also, quite new, a 4-wick 4in. Condenser Oil Lantern for 30s.—S. W., Norris View, John St., Ryde, I.W.

EVENING ENGAGEMENTS wanted, by competent Lantern Operator, in or near London.—H. W., 171, Brocklcy Road, S.E.

PROFESSOR KŒNIG'S ENTERTAINMENT.—Music, Songs, and Mirth. Illustrated with magnificent limelight scenery, grand and marvellous effects, painted by Hill, Dickson, Dobel, Simpson, and others, and shown with a powerful tri-unial stereoscopic apparatus, giving pictures from 10 to 50 feet in diameter, and been acknowledged by the Press, for "Sparkling Music," Descriptive Songs, and Brilliant Illustrations, to surpass all other exhibits. Subjects with "Music and Songs," "Nazareth," "The Village Blacksmith," "Wrecked and Rescued," "Vesuvius," and the "Flying Dutchman," etc., etc. Programme and testimonials on application.—373, Edgware Road, W.

LANTERNS.—Triple, Bi-unial, or Single, with gas and everything ready for showing up to 20ft. diameter at a moment's notice. Lanternists in difficulties can always rely on getting efficient help from the experienced operator, C. GOODWIN NORTON, 38, Marchmont Street, Russell Square, London.

NORTON'S Registering Crosses are absolutely exact. 2—3s., 3—4s. 6d., in frames. Three mixed jets, quite new, Cogwheel lime turner, 12s. each. Safety jets, do., 10s. 6d. Everlasting Retorts, never require washing out, 10s. 6d. Soft limes, 1s. per doz.—NORTON, as above.

CHRISTMAS CARDS, Gold Blocked Fancy Edges, for Mounting Photographs on. Sample Packets, 1s. and 2s. Cash returned if not approved of.

HOOPER & CO., 5, Hand Court, Holborn, London.

COMPRESSED OXYGEN, HYDROGEN, &c.,

In Steel Cylinders with **IMPROVED VALVES,**

Easy to open and close, impossible to turn on gas suddenly. Regulator Taps unnecessary.

LOWEST PRICES.

THE GAS COMPRESSION COMPANY,

114, Princess St., Manchester.


SANDS, HUNTER & Co.,

Photographic Apparatus and Lanterns,

NEW AND SECOND-HAND, BY ALL THE BEST MAKERS.

Lanterns and Operator let out for evening entertainments for children, &c. Terms Moderate.

20, Cranbourne St., Leicester Square, London, W.C.



GRIFFITHS' PATENT LANTERN SLIDE MARKING CAMERA.


This "most useful Instrument" leaves nothing to do beyond inserting Negative at one end and "Lantern Plate" at the other. Expose and Develop, and you will find it always in correct FOCUS, SIZE, and POSITION. This Camera has now been before the public for two seasons, and its popularity is fully established.

TESTIMONIAL.—"The Lantern Slide which secured the First Prize at the Birmingham Photographic Exhibition, 1890, was taken in this Camera by BENJ. KARLEESE, ESQ."

Prices complete: Half-plate, 12/6; Whole-plate, 15/-; 12 by 10 Adjustable, 21/-; Fitted Dark Slide, 4/6 extra.

GRIFFITHS' Patent FIXED ENLARGEMENT CAMERA.

This Camera is made on the same principle as the Lantern Camera, and possesses the same advantages and charm in working. Prices: Quarter to Half-plate, 16/-; Whole-plate, 19/-; 10 by 8, 22/6; Half to Whole-plate, 19/-; 10 by 8, 22/6; 12 by 10, 26/-. Send for Catalogue of Cameras and Photographic Sundries.



Patentees and Manufacturers— **WALTER GRIFFITHS & CO., LTD.,**
HIGHGATE SQUARE, BIRMINGHAM.

THE EXTRAORDINARY RAPIDITY OF


The Mawson Plates

MAKES THEM SPECIALLY USEFUL

For Detective Camera and all Instantaneous Work.

MAWSON & SWAN,

NEWCASTLE-ON-TYNE, and 33, SOHO SQUARE, LONDON, W.



THE 'BONANZA' AUTOMATIC MAGAZINE HAND CAMERA.

The simplest and most perfect Automatic Detective Camera yet invented. No intricate mechanism to get out of order. Plates changed instantly. No double exposures; no sticking of plates. Carries 12 ¼-plates; can also be used for films. Fitted with extra rapid Lens, Thornton-Pickard Roller Blind Shutter, also safety Shutter, and recessed Finder. Measures 8 by 6 by 10½in. Is compact, portable, and handy. This is essentially THE Camera for high-class work. **Price £3 3s.**

Intending purchasers are invited to send for Lists giving detailed particulars.

R. & A. J. MERCER, 16, King Street, Sparkbrook, Birmingham.

HIGH-CLASS


LANTERN LENSES,

MANUFACTURED BY

TAYLOR, TAYLOR & HOBSON,

SLATE STREET WORKS, LEICESTER;
AND
6, SOUTHAMPTON STREET, HIGH HOLBORN,
LONDON, W.C.
CATALOGUE, POST FREE.

BEARD'S COMPRESSED GAS REGULATOR



Medal awarded, Sept. 1891, Royal Cornwall Polytechnic Exhibition.

Eclipse Single Lantern Slide Carrier
HIGHLY COMMENDED.

"Pringle Beard" Miniature Telescopic Lantern.

Fitted with special helioscopic jacket focussing. Skewed gearing for lime turning off jet. Packs into polished mahogany case; outside size, 8½in. by 6½in. by 7½in. high.

To be had at any Optician's.

R. R. BEARD,
62, Alscot Road, Bermondsey, London, S.E.

half-hundredweights were thrown into the air, and alighting on the ground, smashed a hole in the flooring.

Mr. Scattergood is an experienced lanternist of many years' standing, and on all occasions exercised the greatest possible care; he used gas-bags.

Various theories for the accident have been suggested, amongst them being—that the weights may have slipped off the bags, causing back-pressure; the burner may have been partly choked. The true cause can only be looked for in the admixture of the gases, and that when, re-filling the gas-bags, which having been used on the previous evening, were not absolutely empty. The oxygen may have by mistake been put into the bag which had previously contained hydrogen, or the hydrogen into that for the oxygen. We have received a letter from Mrs. Scattergood, who states that her "husband is completely prostrated with the shock and bruises, although not seriously wounded; but the trouble is great upon us. Perhaps later on he will write you. I escaped actual injury, but suffer."

——:o:——

Ether Saturators and Other Matters.

By C. Goodwin Norton.

Doubtless many readers think that the ether question has been thoroughly threshed out; but as some lanternists are still of the opinion that ethoxygen is perfectly safe if proper care be taken, the following incident may prove useful.

A week or two ago I called upon one of the leading lantern houses in the Midlands. On the counter was exhibited a lantern outfit, an ether saturator being employed in place of hydrogen, and inquired from the salesman whether he considered it quite safe, and he informed me that he had used that identical apparatus on numerous occasions without a single hitch. Upon his assuring me that he thoroughly understood the subject, he invited me to see its working.

After making all the necessary connections, the lantern—which was a bi-unial—was lighted up, the light produced being all that could be desired. All went well for a few minutes, when, without any warning, a tremendous explosion occurred; both tubes were blown off, and a large flame came out of the saturator. Fortunately no damage was done; but had this occurred at an exhibition to which the public were admitted, it would be difficult to say what damage might have been done, as most assuredly it would have caused a panic, and, to say the least, it would have been most inconvenient.

I have been much interested in the discussion which has, for some months past, been going on in these pages on the subject of ether saturators; and had I been thoroughly convinced of their absolute safety would have adopted this method as being more convenient, especially when one is travelling; but from what I have seen, heard, and read about the subject, I fail to see my way clear to adopt it, especially as many of my audiences are composed, in a great measure, of children.

I have lately been giving a series of shows to children, in connection with Mr. Brogden's Swiss Choir, which is well known in the North of England, and have had large audiences, as many as three thousand being in the hall at one time, and with such responsibility resting upon one it is a duty to employ only such apparatus as may be depended upon. I use mixed jets and limes of my own manufacture (a few of which I send to the Editor with this communication), and have both cylinders fitted with "Reliable" regulators, a form I was lately recommended to try. Thus one or two lights can be turned up or down as rapidly as possible, as in flashing the flame in the well-known subject of the "House on Fire," without in the least affecting the remainder.

The entertainments spoken of have been given during the daytime, and in a very large hall, the walls of which were plentifully supplied with long windows; and it was no small matter to effectually block out all the light; and as the disc was 20ft. in diameter at a long range it was essential that they were well blocked up. This I did by pasting two thicknesses of brown paper over them.

In view of the many accidents which have from time happened with gauges, by reason of the gas being suddenly allowed to enter the small tube, which has no outlet, I have on this score adopted what I find to be the safest style, known as the "pocket gauge." It is small, accurate, and last, but not least, it can be used indiscriminately for ascertaining the quantity of oxygen and hydrogen in the gas cylinders.

I am of opinion that now regulars, gauges, and such fittings can be obtained at small cost, these, combined with a little discrimination on the part of the lanternist, should have the effect of accidents at lantern entertainments being spoken of as a thing of the past.

[We have tried the limes spoken of, and find them excellent.—Ed.]

——:o:——

Colouring Lantern Slides.—No. 6.

By A. W. Scott.

(Continued from page 170.)

Moonlight Scenes are frequently very effective. If the photograph has been taken against the sun, so that the cast shadows incline towards the spectator, the moon may be included in the picture; but when there are conspicuous shadows inclining to the right or left, it will be better to omit the moon, and to put in a few clouds or stars instead. There are many pretty moonlight slides in existence in which the shadows are evidently not cast by the moon; or if they are, they do not fall on the side opposite the light. Such phenomena are doubtless interesting; but not being met with in Nature, it is, perhaps, wise to avoid them in our pictures. In the case of photographs taken in diffused light, we may put the moon anywhere, and paint in the cast shadows by hand in the proper positions.

A moonlight sky may be represented in various ways. Just after sunset, the sky is frequently of a rich blue colour, which may be imitated by a deep tint of pure Prussian blue. This rich colour does not last very long; it quickly becomes darker in tone, until it changes to the sombre indigo of night, which may be represented by a mixture of Prussian blue and ivory-black; or if a greenish tint be desired, by a mix-

ture of blue with burnt umber. It may be observed that the sky blue of day is a purple or ultramarine blue; but the sky blue of night is a greenish blue.

An effective sky is that of a late sunset, when the sun is well below the horizon, leaving a glow of light with a few bright streaks of cloud of an orange colour on the horizon, the rest of the sky being of a darker and bluer tint. If the glow is on one side of a picture, the portion of the sky farthest from it will be the darkest, and here a crescent moon may be put; this owes its light to the sun, and, therefore, the rounded side will face the light, the horns being turned upwards and away from the sun. The crescent should be thin, as such a sky is only seen when the moon is nearly "new" A full moon at sunset is always a long way from the place where the sun sets; so that it could not well be included in the same picture.

When two lanterns are used, we can secure a more realistic moonlight effect by painting the view as a daylight or twilight scene; and then, with a duplicate photograph, painting a sky with an intense blue, and clouds with opaque black; also covering with black all the rest of the picture, except where high lights are. At night, for example, the windows of houses, and perhaps a doorway or two, church-clocks lights in street lamps, and the like, not omitting the moon and stars, if there is much sky-space. After this, the slide can be dried; then an etching-needle may sometimes be used. This is a dangerous tool, and should be applied with extreme care, so that the etched lines are made extremely fine, and free from torn edges. The high lights may be tinted with suitable colours—a very pale yellow for the moon, and deeper yellow and orange tints for the windows, &c.

When exhibited in the lantern, the day view is shown first on the screen with full brilliance; a pale orange or red glass is slowly pushed over the front lens, to give a sunset effect, next a piece of pale blue glass follows the red, so that the picture becomes blue; then a bit of perforated zinc is slowly passed over the blue glass, to reduce the light. The second lantern is now ready with a plate of tin behind or in front of the slide, to temporarily cut off the light from the screen. On slowly withdrawing this plate, the windows of the houses, &c., will appear to light up one after another. Such an effect requires two or three minutes to show properly, and the lecturer should not be in too great a hurry for the next picture, otherwise some of the romance of the scene will disappear.

——:o:——

Our Visits.

No. 2.—WALTER TYLER.

MR. TYLER is certainly a man of great enterprise. Several years ago he opened a small shop in Waterloo Road, in which he dealt in second-hand lantern apparatus. Here—by small profits and quick returns—he increased his business to such an extent that an enlargement of premises became necessary; but, as more room could not be obtained, the lease of 48, Waterloo Road, was purchased; and about a year ago it became necessary to have still larger premises, and then the lease of No. 50 was obtained, in addition to 48. To these two buildings we recently paid a visit. The ground floor is occupied as two large shops, both elegantly fitted up, one of which is devoted exclusively to lantern apparatus, whilst the stock in the other is to an extent photographic.

Upon asking for Mr. Tyler, an assistant communicated with him by a speaking-tube, as he was in another part of the building; and in due time we were shown over the premises, commencing with the basements, which are used for storage and packing.

The first floor is, perhaps, the most interesting, as it contains a slide library, clerk's office, postal order room, and a private office for Mr. Tyler and his manager.

Many pleasant hours could be spent in the slide library, the four walls of which are closely lined with boxes containing slides, each box, which holds from eighty to one hundred slides, being placed so that the label on the end can be readily seen. Upon inquiring as to the method of finding any particular slide, we were referred to the young lady in charge, who asked the name of any set we wished to find. This having been mentioned, an alphabetical index was referred to, and opposite the name was the number of the box in which it was to be found. It is the custom when a set of slides is removed from any particular box for an order number to be deposited in its place. Several customers were here seated at a large central table looking over and selecting sets suitable for the occasions for which they were required.

We passed through the general office, but found nothing of interest save cash-books, ledgers, and other books, doubtless not without interest to the proprietor. On the next floor we come to the stock room, which certainly is what its name implies. It is a rather difficult thing to describe the various apparatus to be seen here; but certainly a particular form of lantern termed "Helioscopic" was well represented. From this department an elevator communicates with each floor. In close proximity we find a room in which the slides are made up and packed; also a room in which the slides are made, and entering immediately out of this is a dark room. After ascending another stair we come to a large studio, which is principally used for enlarging purposes.


In addition to selling the apparatus, a very large business is done in hiring out lanterns and slides. and this we may say is one of the special features of the firm.

As Mr. Tyler has telephonic communication in his office, many orders come through this source, not only from various parts of London, but other towns as well. Whilst we were in the building, a communication was received direct from Brighton.

A number of new gas cylinders without fittings were being delivered at the time of our visit; these we were informed would not only be finished in the course of a few days, but (as Mr. Tyler proudly said) tested, filled, and in the hands of purchasers also.

As a means of telling at a glance, which cylinders are the property of the firm and which belong to customers (and are sent in for re-charging only), the former have a bright green band painted round them as a distinguishing mark.

A new catalogue is shortly to be brought out which it is stated will be even larger than the last.


Registered Telegraphic Address
WALTER TYLER, LONDON.
Telephone No. 4848.
SLIDE PAINTING ROOM
SLIDE LIBRARY
W TYLERS
LANTERNS & SLIDES
BEST & CHEAPEST
48 & 50 WATERLOO Rd
50 WALTER TYLER 50
48 WALTER TYLER 48
DARK ROOM FOR USE OF AMATEURS
PURE CHEMICALS FOR PHOTOGRAPHY
CAMERAS & LENSES BY ALL MAKERS
MAGIC LANTERNS AND SLIDES LENT ON HIRE
ALL PHOTOGRAPHIC GOODS SUPPLIED AT LEAST STORE PRICES
SECONDHAND LANTERNS AND SLIDES GREAT BARGAINS
46
DISPATCH-BEST QUALITY-LOWEST PRICES-PROMPT
OPTICAL DEPARTMENT
LANTERN & SLIDE DEPARTMENT

G. W. WILSON & CO.,

2, ST. SWITHIN STREET, ABERDEEN.

Makers of the Highest Class of

PHOTOGRAPHIC SLIDES.

NEW SETS FOR 1891-92.

"1,000 Miles up the Nile."
"A Visit to Hawaii and the Leper Isles," with a Photograph from Life of Father Damien.
"Grace Darling's Home."
"The Architecture of Scotland."
"Cats at Play."
"Kingsley's Home at Eversley."
"Beautiful Snow" Scenes. And many others.

Descriptive and detailed lists free on receipt of address


DIAGRAMATIC LANTERN SLIDES,

In Outline or Tinted,

Suitable for all Teaching Purposes. Produced Rapidly at a Nominal Cost, from any **Object, Sketch, or Photo.** New French Method can be taught by Correspondence. A knowledge of Drawing not necessary.

Apply Monday, between 3 and 6, or by letter,

A. D. MOORE, 41, Cathcart Road, S.W.



IT IS EVIDENT

That Photographers know a Good Thing when they see it.

The sale of our Lantern Slide Clamps has increased this year over 1000 per ct.

To screw to table, 1/6.
Superior, on polished wood stand, 3/6.
Postage, 3d. extra.

THE PHOTO ENTERPRIZE COMPANY,
12, PRIESTLEY RD., BIRMINGHAM.

LANTERN SLIDES

FROM

G. WEST & SON'S WELL KNOWN Marine Subjects.

Yacht Racing Scenes.
H.M. Ships of War. Torpedo Warfare.
Lord Nelson and H.M.S. Victory.
Cruise of H.M.S. Albacore.
Sailor Life Ashore and Afloat.
The Mimic Battle at the Royal Naval Exhibition.
Cutlass and Field Gun Drill by 70 Sailors of H.M.S. Excellent.
The German Fleet at Spithead.
The French Fleet at Spithead.

And many other Interesting Studies. Readings with above

G. WEST & SON have been awarded Medals for Lantern Slides at the following Exhibitions :—

PHOTOGRAPHIC SOCIETY OF GREAT BRITAIN, 1891.
GLASGOW, 1891. CARDIFF, 1891. VENTNOR, 1891.


Making over 40 Medals for their wonderful marine studies.

CATALOGUES POST FREE.

G. WEST & SON, Photographers, Southsea.

WHOLESALE AGENT:—J. M. J. NOCK,
TOOTING JUNCTION, LONDON, S.W.

ROUCH'S "EUREKA" (Patent) DETECTIVE CAMERA.



(*Awarded the only Medal for Hand Cameras at Crystal Palace Exhibition*).

The first introduced is, without exception, the most portable Hand Camera in existence. The best Instrument for the use of Artists, Military or Naval Officers, Travellers, Special Correspondents, Engineers, Surveyors, Architects, Tourists, Cyclists.

This Camera has produced more successful work than any other instrument, and HAS TAKEN PRIZES EVERYWHERE It is daily used by the artists of the *Illustrated London News, Graphic, Black and White,* &c.

UNSOLICITED TESTIMONIAL RECENTLY RECEIVED.

"You will be glad to hear that I was awarded the only Silver Medal at the Liverpool International Exhibition for Hand Camera Work, which was done by an 'EUREKA' Quarter-Plate. I think your 'EUREKA' one of the be t Hand Cameras in the Market. It is small in size, simple in construction, and can be quickly brought into use without attracting attention." J. WHITE, *Photographic Society of Ireland, Dublin, 16th March,* 1891.

W. W. ROUCH & Co. had the honour of supplying their "EUREKA" CAMERA to **H.I.M. the Empress of Germany**, who successfully used it during her visit to Felixstowe.

PRICE, complete (with Instantaneous Doublet Lens, and Finder):—

For Plates, $3\frac{1}{4} \times 3\frac{1}{4}$....£5 17 6 | $4\frac{1}{4} \times 3\frac{1}{4}$....£6 12 6 | 5 x 4....£8 10s.

Ready Immediately.

A NEW WORK ON

THE OPTICS OF PHOTOGRAPHY

and PHOTOGRAPHIC LENSES.

BY

J. TRAILL TAYLOR,

(Editor of the British Journal of Photography.)

ILLUSTRATED.

London: WHITTAKER & CO.

Compressed Gas Cylinder Fittings.

By R. R. Beard.

As compressed gas is now used by the majority of lanternists, a few notes upon the different cylinder fittings and joints will not be out of place.

Several years have now passed since gas was first used in a compressed state for limelight and other purposes, but not until recently has the size of the fittings of cylinders been such that they could be relied upon.

The firm of Orchard was the first to condense gas commercially, but the pressure was only 600lb., or forty atmospheres, and the retail price twice that of the present time, but very few employed it.

A few years ago a second firm (Clarkson) commenced condensing gases, and by degrees it became to be more generally used. Clarkson's cylinder fittings were very similar to Orchard's, but the former made an error in introducing them a trifle larger in diameter than Orchard's, which was a male thread with twenty threads per inch, or a quarter-of-an-inch bolt (Whitworth's thread). This difference, however, at that time was of little importance; but, with the introduction of regulators, matters were a little difficult, as, with the use of these, the whole of the pressure in the cylinder came upon the joint and also the valve-screw. The valve-screw was easily rectified; a wax was well worked in with the threads of the valve, which proved to be effectual inasmuch as it could be fairly relied upon, and the introduction of the stuffing-box perfected the valve arrangement.

The outlet fitting, however, still remained, each compresser keeping to his original size—Orchard's small and Clarkson's large. This was very awkward for those who purchased a regulator and only hired the cylinders, he not knowing that there were cylinders with two different fittings on the market; the regulator was perhaps made with small-size fittings and the cylinder hired provided with large, or the reverse—a large-fitting regulator and small-fitting cylinder, and, more often than not, this was not discovered until just before it was required for use. If a large-fitting regulator were screwed on to a small-fitting cylinder, the threads from both would be stripped off from both regulator and cylinder.

However, after a time, users began to get somewhat used to this kind of performance, and, when hiring a cylinder, would say that their regulator was large or small as the case might be. But matters were doomed to become still more complicated by reason of the many different connections made to suit the different cylinders.

Brin's process next came forward, and with it a very ingenious fitting, invented by Mr. Brier, who was at that time manager to the company. The valve itself was of the same form as before—known as hydraulic valve; but it differed in the outlet, which was a half-an-inch male, iron barrel size, with a female cone, the connection being made by a differential threaded coupling upon a screwed nipple, with a conoid end seating itself into the cone. This valve is usually fitted to cylinders by the manufacturers. This half-inch male thread has its faults, for, should it get knocked or bruised, the coupling will not go on, or the cone will not make a sound joint. To obviate the chances of getting bruised, an iron cap is screwed upon it and sometimes chained to the cylinder, to prevent its becoming lost; but, if chained, it was generally in the way, and, if loose, more often than not it is left behind.

When Mr. Chapman became manager to Brin's Co., he introduced a new valve, known as Chapman's Patent Bull-nose. Undoubtedly this gives the greatest protection to the threads and cone, for instead of the male threads, as in all the others, this has a good solid nose, and is threaded internally with a female cone at bottom. The connection is formed similarly to the half-inch, a threaded nipple with a coupling, having a male thread to fit in the nose, and the conoid at end of nipple to make a seat upon the cone. The size of thread in the nose is known as $\frac{3}{8}$in. iron barrel thread, fourteen threads per inch, or $\frac{7}{16}$in. Whitworth bolt, and about $\frac{3}{32}$in. diameter.

This company make the oxy-cylinder with a right-hand thread, and cylinder painted black. The hydrogen has left-hand threads, same size in diameter as the oxygen, but the cylinder is painted red.

Next we have the Manchester cylinders. These vary in external form, but practically are the same as Chapman's, the difference being that the nose, instead of being at the top of cylinder and made in the same casting, is at the side and entirely separate, and forms a loose piece sliding over the valve. This is held in position by a stud, which keeps the screwed part opposite the seating, which is made in the valve fitting. The same fitting made for oxygen cylinders with Brier's and Chapman's valve will also fit these.

The Manchester hydrogen fittings differ from all others. They have right-hand threads of $\frac{5}{8}$in. The fitting of end is the reverse, it being a male conoid upon cylinder, so that the screwed nipple is female.

The Scotch and Irish Company, I believe, still adhere to the half-inch male threads on cylinders—left-hand for hydrogen and right-hand for oxygen cylinders. I venture to say that, with all these improvements, there is no fitting so perfect and simple for making a tight joint as Orchard's male fine thread, although loose cap and linings would appear to be the most perfect theoretically. In practice, I find it quite efficient if a solid casting is used, and, instead of a loose cap, a thin leather washer made from such as boot uppers. You thus get a much stronger fitting for regulators, and it is quite free from solder, which, with the loose cap, must be employed.

Next to this I prefer Chapman's valve, with a moulded leather cone for the nipple conoid to seat upon. This prevents undue wrenching of the connections, and a perfect joint can be made with the force of finger and thumb. It also preserves both cone and conoid, and one has the satisfaction of knowing he has a tight joint. Persons using these must be sure to take them out when sending their cylinders to be filled, as they will be taken out and thrown away.

With all these, one hardly knows which fitting to have when purchasing a regulator, unless he has his own cylinders and never wants to hire, which is rather doubtful.

Beard's patent reversible coupling is very handy, and a regulator fitted with one suits both the $\frac{1}{4}$in. and the

⅝in. cylinders, which are generally supplied by dealers and compressers of gas.

I think if cylinder fittings were made, the oxygen with Bull-nose, but with a flat seating and leather washer, it would be best for all users. The only thing in a leather joint, it is not to be relied upon for any great length of time, as a certain compression necessarily takes place in the leather and so requires tightening up, but, for lantern work, I have found nothing better, the hydrogen cylinder to be male threads as now; no fear of connection being put on the wrong cylinder in this case. I have myself, when taking a right-hand threaded cylinder out and a left-hand regulator been compelled to use it by some means or other, and have succeeded in forcing the connections so as to secure a joint, although the threads have been reverse.

A male thread for one gas cylinder and a female for the other of different sizes would prevent anyone from making an error.

The object of these notes is for making known generally to lanternists what size fittings for cylinders there are in various parts of the country should they be travelling, and think of obtaining the gas from compressers and dealers on their journey, and also to point out that cylinders and fittings have got to about the same state as lenses and their mounts—one conglomeration of sizes and shapes.

——:o:——

How I Became a Lanternist.—IX.

By the Vice-President of the Lantern Society.

(Continued from page 158.)

[CONCLUDING ARTICLE.]

I CONCLUDED in my last by saying that I would relate how I had succeeded in making slides by artificial light, and as I found the work pleasant, fairly quick, extremely successful, simple, and practically within the means of everyone to do just the same, and believing, lastly, it is an obligation on any one man to state his experiences for the benefit of the lantern public, I will try to put in words what I could much better express if I were detailing it to an audience.


I spoke of Griffiths's box without naming it, for that it was to which I alluded. I described it as a shoddy article, but with a grand capacity for good work. I am still convinced that it is a splendid thing. If it could only be made in wood and an improved light-tight door, with drawing out inner slide at the positive end, and with various fittings so as to take a ½, ¼, and 5 x 4, it would be a perfect gem. Of course, the sum charged for the thing, including lens, is so ridiculously small, that it is a marvel of cheapness as it is; but better charge twice the price and have the thing twice as good than have a thing in a somewhat crude condition. Let the box remain the same size and length, but fit a hinged door to work outwards at the back or positive end opening, inside this door let a slide draw up and through the top, and lower down, as in an ordinary dark back, so as to secure the plate from danger.

NEGATIVE END.—Have the sliding frames made to carry ½ plate, 5 x 4, and the thing itself to carry the ½ plate, minus fittings, and each fixture or stick at the end to be of thin metal, so that the focal distance from the lens to the picture should remain identically the same distance, and then a special ground glass should be fitted for each, so that one could slip in any of these sizes at will, together with the glass fitting same. Personally, I had my own temporarily fitted with tin slides, but the ground glass generally procurable is *too dense*. I may also say that ordinary lantern plates are not the best kind to use for night work. A firm I see is advertising in *The Optical Magic Lantern Journal* special rapid plates for reduction. This is certainly a necessity, as will be seen before I finish. Ordinary lantern plates for contact printing, which require from fifteen to sixty seconds' exposure (under S. S. also) are best slow; the others are best fast, I am convinced of it. Makers should supply both rapid and slow for these respective purposes. I also think the boxes should be marked "fast" for reduction, or "slow" for contact.

Finding that no artificial light I had been able to use was effective, I turned on the oxy-hydrogen, taking the lens away from the lantern, then placed the reduction box 5ft. away, and I obtained very good results with from four to seven minutes' exposure. But the trouble of fixing up apparatus, the room it occupied, and other things of that kind, situated as I was, and having to pack it all away every night and refix it for an additional turn many days afterwards, as the case might be, I found rather troublesome. This was clear, however, that by the means of this light and the condenser I got a good picture to a certainty. I also was convinced of the idea that a large condenser covering one's plate was the thing wanted.

The condenser I had made was a six-inch, which covered a 5 x 4, and of course a ¼ plate as well. I had a neat deal frame made to carry it, which stands down at such an elevation as to place the centre of the condenser opposite the centre of the illuminating power of the lamp. The lamp I used was an ordinary 4in. wick paraffin, belonging to my lantern, in which lime-light could be used, as well as oil at will. Having arrived at this stage, there were three or four things to determine. The first was the exposure. That was certainly a serious matter, and the number of plates sacrificed before a proper time was determined upon was very great. But another factor which had to be taken into consideration, in conjunction with the time of exposure, was the increase or decrease of the light, in other words, its strength or weakness, the distance of light from the condenser, and the distance of condenser from the picture.

I ought to have said a good deal about reductions with the camera by this artificial light. I succeeded, and got a number of good pictures with the camera and short focus lens, but the trouble of fixing and focussing the camera, fixing the distance from the condenser, and the distance of light from the condenser, and other things, were matters that required the most minute attention, and were somewhat complex, and though I did enough to convince me that it was possible to do good work with one's camera thus used on a proper appliance, which I had made to carry the light, condenser, and camera, I found the work quite as good and much simpler with Griffiths's box, and therefore I relied on that.



W. H. HUMPHRIES & CO.

268, UPPER ST., ISLINGTON,
LONDON, N.

Telegraphic Address—"Focimeter, London."

Omnibuses and Trams from all parts pass the door.

Bi-unials from £6. Full-size Single Lanterns, 4-in. Condensers, from 30s.


Tri-unials from £8 to £80.

The Best and Cheapest House for High-Class Lanterns and Slides.

We lend Slides in any quantity at 1s. per doz.

We are Manufacturers, Not simply Dealers.

Factory :—
Elford Road, Drayton Park, N.



Magic Lantern, Dissolving View, & Photographic Apparatus Makers

LANTERN SLIDES ON SALE OR HIRE.

SLIDES ON HIRE.

A large stock of well-coloured Slides, carefully arranged in sets, suitable for Complete Entertainments. Each set has a specially prepared reading, and an attractive title. The selections having been made by those who have had many years' experience in Lantern Lecturing to young and old, will be found exceptionally useful to all engaged in such work, many of whom find a difficulty in choosing suitable subjects.

SETS OF 50 AND UPWARDS FOR 4s. 36 FOR 3s.

Societies arranging for Six Hirings this Season may have

THE SIXTH SET WITHOUT CHARGE FOR HIRE.

Each Hiring must amount to not less than 3s. for the Slides.

May be sent Cheaply and Safely by Post.

Lanterns & other apparatus at the most reasonable prices.

New Temperance Slides.

THE TEMPERANCE PICTURE-GALLERY.

Forty Slides, from superior drawings, illustrating various feats of endurance and hard work, accomplished in all climates without alcohol.

THE LITTLE CAPTAIN.

A series of Twenty-four beautiful Pictures, illustrating the touching and popular story by Lynde Palmer.

ALCOHOL AND THE HUMAN BODY.

Twelve Slides, showing the injurious effects of Intoxicating Drinks on the various organs of the body, and on health and life generally.


The above have been prepared in superior style by the United Kingdom Band of Hope Union, and will be found exceedingly useful to those engaged in Temperance, Sunday School, or Mission Work.

Plain ... ... 12/- per doz.; Smaller numbers, 1/3 each
Well Coloured 24/- do. do. 2/6 each
Packing and Postage extra.

Complete Catalogue of Slides (400 pages), with classified index, post free for 6d.

Send for full Particulars to THE TRADE MANAGER,

UNITED KINGDOM BAND OF HOPE UNION, 4, Ludgate Hill, London, E.C.



A NEW OIL LIGHT OF VIVID BRILLIANCY.

STOCKS' PATENT OIL LAMP, FOR MAGIC LANTERNS.

The Chairman at a meeting of the London Lantern Society, held at Hanover Square, 26th Nov 1891, said it was the Best Oil Lamp he had seen.

A Purchaser, MR. J. PEARSON, *a member of* MR. STEAD'S *Lantern Mission, of Radcliffe, wrote respecting the Lamp 28th Sept.,* 1891, *as follows:* "I got a very good light, and certainly people who were present considered the Light equal to many blow-through Lime-lights that we have had in the same room."

W. STOCKS, Inventor, RYE, SUSSEX.

DYSON'S SPONGEABLE LANTERN SCREENS.

6 ft.	7 ft.	8 ft.	9 ft.	12 ft.
11/3	15/6	20/-	26/6	42/6

EDWARD DYSON,

SHAMBLES LANE, HUDDERSFIELD.

T. J. DOGGETT,

Manufacturing Tin-Plate Worker to the Optical Lantern and Photographic Trades,

4, CHURCH LANE, UPPER ST., LONDON, N.

Lanterns in Japanned Tin-Plate or Mahogany—Russian Iron Lamps.

NEW LECTURE, STORY & COMIC Sets for the LANTERN

Any Subject, Nationality or Period, Accurately Illustrated by Original and Artistic Designs, for Producing Negatives and every form of Slide.

Fk. WEEKS, *Slide Designer, Inventor, and Artist Draughtsman,*
21, THORPE ROAD, FOREST GATE, LONDON, E.
Established 1875. Write for Circular—Stamp.

177, Walworth Rd



177, Walworth Rd

W. WATSON & SONS, 313, High Holborn, London,

MANUFACTURERS OF HIGHEST CLASS OPTICAL & SCIENTIFIC INSTRUMENTS

BI-UNIAL AND TRIPLE LANTERNS.

THREE AND FOUR-WICK OIL LANTERNS, of Highest Quality and Efficiency.

LANTERN TRIPODS, GAS APPARATUS, SCREENS, AND SCREEN STANDS.

AN IMMENSE STOCK OF FINEST **PHOTOGRAPHIC VIEWS,** Illustrating all parts of the World, **12/-** per dozen.

SPECIAL PHOTOGRAPHIC CAMERAS For taking Lantern Pictures.

An Illustrated Catalogue sent free to any address on application. Ask for Lantern List.

W. WATSON & SONS, ESTABLISHED 1837.

313, HIGH HOLBORN, LONDON.
9, 10, 11, 16, 17, FULWOOD'S RENTS, LONDON.
251, SWANSTON ST., MELBOURNE, AUSTRALIA.

FOR SUCCESSFUL SLIDE MAKING USE ONLY

FRY'S LANTERN PLATES.

OF ALL DEALERS.

THE FRY MANUFACTURING CO.,


5, CHANDOS STREET, CHARING CROSS, LONDON, W.C.

Works—KINGSTON-ON-THAMES. Telegraphic Address—"ENLARGEMENTS, LONDON."

IMPROVED

KEY CAMERA

MEASURES ONLY
8 x 5 x 4 ins.
PRICE,
QUARTER-PLATE, £7 7s.



THE PLATINOTYPE COMPANY,


29, SOUTHAMPTON ROW,

Holborn, London, W.C.

THORNTON-PICKARD

"TIME" SHUTTER

IS THE SIMPLEST AND THE BEST



Prices for Lens having hood up.

For 'Time' & Instantaneous.	1¼in.,	18/6	3 in.,	27/6
	2 ,,	20/6	3½ ,,	32/6
	2¼ ,,	22/6	4 ,,	37/6
	2½ ,,	23/6	4½ ,,	42/6
	2¾ ,,	25/-	5 ,,	47/6

Instantaneous from 11/6 Stereo. "Time," and Instantaneous, from 26/-

THORNTON-PICKARD Manufacturing Co., St. Mary's St., Deansgate, Manchester.

THE OPTICAL
MAGIC LANTERN
JOURNAL
AND
PHOTOGRAPHIC ENLARGER.

Edited by J. HAY TAYLOR.

VOL. II.—JUNE, 1890, to DEC., 1891.

PUBLISHED AT
DORSET WORKS, SALISBURY SQUARE, LONDON, E.C.

1891.

INDEX TO VOL. II.

PAGE

Advantage of large object glasses for lanterns ... 48
Africa, Explosion at 140
American lanterns, Small 26, 43
Aniline colours for painting dry plate slides ... 138
Apparatus at City Exhibition 13
Arc light for projection 41, 53
Artificial light, Copying by 56
Asbestos between lanterns 6

Bags, Taps on gas 7
Beard's regulator 126, 175
Blocking out statuary slides 14
"Bonanza" hand camera 127
British Photographic Union 22
Bromide prints, Toning... 145

Camera obscura 15
Camera Club, New premises of 29
Candle power, Computing 151
Cardiff Exhibition 124
"Chadwick" hand camera 119
Changing slides, Signals for 39
Christmastide reminiscences 186
Chromo-litho slides 64, 67, 77
City Exhibition, Apparatus at 13
Clouds on lantern cover glasses 175
Collodion plates for transparencies, Dry 34
" " " Wet 172
"Collins'" hand camera 83
Colouring lantern slides 130, 136, 144, 153, 170, 179
" " " with aniline... 138
Colours, Plain photographs projected in 82
Comic slide making, Hints on 30
Comments... 95
Comparison of illuminants 19
Compressed gas cylinder fittings 181
Condensers, Triple lantern 90, 183
Copying by artificial light 56
Copying engravings for slides 2
Crystal Palace Exhibition 109
Curiosity, A lantern 109
Curtain Shutter, A new... 166
Cylinders, Fluid in gas 97, 105
Cylinders, Table for showing quantity of gas in .. 163

Desk, Light for lecturer's 22
Discs and their relation to the lens 40
Dissolver attachment 131
Dissolving with precision, Registration or the art of 112
Dry collodion plates for transparencies 31
"Duplex" regulator 118

"Eclipse" hand camera... 11
Editorial table, 7, 14, 15, 22, 31, 43, 55, 66, 85, 94, 114, 131, 139, 175, 186

PAGE


Effect slides—Metamorphosic 38
Electric incandescent lamp for lantern 102
Electric light, Rival to the 5
Engravings for slides, Copying 2
Enlargements 12
Enlarging apparatus, Shenstone's 65
" Camera 97
" Hints on 52, 62, 73, 84, 92, 102
Entertainments in open air with lantern 54
Etho-oxygen light, Experiments with, 93, 101, 105, 116, 119, 120, 127, 131, 184
Ether-oxygen saturator 56, 67, 78, 104
"Eureka" hand-camera... 19
Exchange of lantern slides 115, 123
" " slides, A scheme of 54
Exhibition, Apparatus, at City 13
" " Cardiff 124
" " Crystal Palace 109
" " Pall Mall... 140
Experiments with the optical lantern 6, 12
" with etho-oxygen light, 93, 101, 105, 116, 119, 120, 127, 131, 184
Explosion at Ilkeston 179
" in Africa 140
" of gas bag 67, 77, 86
" of regulator 148, 160

Faces, Washing sitters' 40, 55
Fantoccini slides... 100
Films softening in hot weather, To prevent ... 21
Fittings for cylinders 181
Flame extinguishers and mode of testing 102
Flashes on lantern topics 51, 65, 77, 103, 114
Fluid in gas cylinders 97, 105
Folding tent, A light 66
Fountain and how to make it, An illuminated 111, 128
Frames for screens 75

Gas bag explosions 67, 77, 86
Gas bags, Taps on 7
Gas cylinders, Fluid in 97
Gauges, Precautions with 101
Good Templar Van and Mission 138
"Griffin" hand camera 48
Griffiths's enlarging camera 97
Guinea hand camera 100

Hand cameras for obtaining slides for the lantern :—
"Quadrant" 2
"Eclipse" 11
"Eureka" 19
"Key" 28
"Optimus" 35
"Griffin" 48
"Swinden-Earp" 61

R. H. CLARK'S
"STANDARD" LANTERN.



PRICE

To burn Paraffin, or any Mineral Oil, or Lime-Light. Can be used without any alteration to the Lantern. **27/-**

New Shaped Japanned Lantern, with dome, shaped top, with japanned stages, front tube, and sliding tube, with brass O.G. Fitted with a 4-inch plano-convex compound condenser, in brass cell, and double combination achromatic front lens, in brass mount, with rack and pinion adjustment, and with a 3-wick Russian iron paraffin lamp, with jointed Russian iron chimney. The whole packed in a stained wood case, with hooks and eyes, and handle.

Price complete - - - - - - - 27/-

Or with a 4-wick Lamp - - - - - 29/-

ROBERT H. CLARK'S "SPECIAL" LANTERN, with 4-inch Plano-Convex Compound Condenser, and double Combination Portrait front, with Rack and Pinion Adjustment, and fitted with 3-wick Lamp. Price - - 24/-

Lantern as above, with 4-wick Lamp. ,, - - 26/

Pair of the above 3-wick Lanterns, with improved brass dissolver, with plates and thumbscrews, and fitted in a stained and polished double case with lock and key and handle. Price - - 67/6

Pair as above, but with 4-wick Lamps - 72/6

A Splendid Collection of Photographic Slides. Plain 6d., Hand-painted, 1/-, 1/6, & 2/-

CHROMO-LITHO SLIDES, SPLENDIDLY COLOURED.

Each Set contains 12 Slides (3¼ by 3¼), and is packed in a handsome box. Price, 4/3 per Set; postage, 6d. Three Sets for 12/-; postage 1/-; or Six Sets for 23/-, carriage forward.

Life in Africa.
Santa Claus.
Bingen on the Rhine.
Cinderella (Series 2).
The Precocious Piggies
The Pilot's Story.
Jacky Marlingspike.
The Educated Cats.
The House that Jack Built.
Ali Baba, or the Forty Thieves.
Punch and Judy.
Poor Jeremi: a nigger's love story.
Pussie's Road to Ruin.
On the Brink: a Tale of Monte Carlo.
The Land of the Pigtail.
Scenes from Pickwick, &c.
Puss in Boots.

The Dwarf Longnose.
The Caliph Stork.
Little Muck; or, the wonderful shoes.
The Phantom Ship.
Effect Slides.
do. do.
do. do.

Dog and Monks of St. Bernard.
Swiss Family Robinson.
Reuben Davidger.
"Cash Three": a Temperance Story.
Curfew must not ring to-night.
Bob the Fireman.
Don Quixote.
Natural Phenomena.

Life in the Arctic Regions.
Canadian Life, Past and Present.
Mischievous Tommy.
Tiger and the Tub.
Bluebeard.
Heroes of the Victoria Cross.
Heroes of the Lifeboat.
John Gilpin.
Dick Whittington.
Robinson Crusoe (2nd Series).
Old London.
Views of London (Modern).
Elephant's Revenge.
Aladdin.
Sinbad the Sailor.
Overland Route to India.
Emigrant's Voyage to Australia.
Arctic Expedition.

Cinderella.
Continental Views.
Jack the Giant Killer.
Gulliver's Travels.
Jackdaw of Rheims.
Mother Hubbard.
Natural History.
Pompey's Joys and Sorrows.
Fun's Edition of the Poets.
Palestine, Views of (2nd Series).
Life of Joseph.
Life of Christ (2nd Series).
The Pilgrim's Progress.
Twelve Stations of the Cross.

The first 24 Sets are done by the New Patent Process, so that if the Slide fails, and the glass gets broken, the picture remains whole and unhurt.

New and Enlarged Lecture Books, containing Readings for the whole of the Chromo-Litho Slides, price **10d.**, or post free **1s.**

New sets of Chromo-Litho Slides (no Readings for these), celebrated American Views, etc., etc. Price 3s. per set, or 4 sets for 11s. The best value in Lantern Slides ever offered.

Full Size Changing Comic Slipping Slides in mahogany frames, 6/6 per dozen. Lever-action Slides 2/-, Rackwork (including chromatropes), 2/9 each. Best quality double motion, Interchangeable Chromatrope frames with pair of splendid designs, 4/6. Hand-painted Chromatrope discs, 1/-, 2/-, and 3/- per pair.


The New "Lightning" double carrier frame, price **1/3**, or post free **1/6**. Lecturer's Reading Lamp, with flash shutter, showing red light signal, price **2/9**, or carriage paid **3/3**.

Small Magic Lanterns to burn Paraffin or any Mineral Oil, from 1/- each. Slides for small lanterns from 5d. per doz.

New and greatly enlarged Catalogues, with many reductions in prices, will be sent gratis, and post free, on application to—


ROBERT H. CLARK, ROYSTON, HERTS.

CHAD



THIS CARRIER is suitable for all Single Lanterns, and is the most perfect instrument for the purpose for which it is intended, that of substituting one slide for another without the slightest movement of the picture on the screen being observed by the audience. The change of picture may be effected practically instantaneously or slowly (the latter being generally preferred). The Carrier is self-contained, occupies no more space than an ordinary carrier, has nothing to get out of order, is perfectly noiseless in use, and is simple in the extreme. The effect produced is preferred to Dissolving, and has caused Bi-unial and Triple Lanterns to be things of the past, except for showing "effect" slides.

5/3 *each, post-free.*



THE CH

PERFECT OPTI

Is not suitable for Dissolving Effe
structed on scientific principles, pr
Condenser, and Interchange

We do not remember a single one b
us a Testimonial, or a

FOR FULL PARTICULARS SE

LANTERN SLIDES,

NEW CATALOGU
THREE STAMPS


CHADWICK'S PRACTICAL READING LAMP, BURNS A CA

W. I. CHADWICK, 2, St. MARY

WICK

SCIENTIFIC APPARATUS

FOR THE LANTERN.




ADWICK

CAL LANTERN

ts. It is a Single Lantern con-ovided with 4½ inch Compound able Objectives, &c., &c.

eing supplied that has not brought n order for another.

EE CATALOGUE, 3 STAMPS.



LEACH'S PATENT

LANTERN MICROSCOPE

— AND —

POLARISCOPE.

The most perfect instrument for the purpose for which it is intended.

With fine Adjustment, £9.

See Special Pamphlet and Catalogue.

FREE FOR POSTAGE.

E, **20,000 IN STOCK, SALE OR HIRE.**


RRIAGE CANDLE, 7/6; PORTABLE READING DESK, 10/6.

Y'S STREET, MANCHESTER

150 Candle Power Light

For

OPTICAL LANTERN



At Less than One Penny an Hour,

Without Trouble, Smell, or Danger.

— Can be obtained by —


THE AËRO-CARBON

INCANDESCENT LIGHT.

THIS APPARATUS is portable, can be carried in the hand, and comprises all that is required for Producing the Light.

NO CYLINDERS OR HOUSE GAS REQUIRED.

THE EFFECT OF THE LIGHT IS SOMEWHAT SIMILAR TO THE LIME LIGHT, AND BY ITS USE THE OIL LAMP WILL BE A THING OF THE PAST.



This Apparatus can also be employed for

PHOTOGRAPHIC ENLARGING,

AND FOR

Reducing for Lantern Slides.

THE APPARATUS CAN BE SEEN IN OPERATION, AND ALL PARTICULARS OBTAINED AT THE OFFICES OF

THE INCANDESCENT GAS LIGHT Co., Ltd.

14, Palmer Street, Westminster, London.

(Near St. James's Park Station.)

PAGE

Hand cameras (continued) :—
"Collins" 83
"Kodak" 91
"Guinea" 100
"Vanneck" 108
"Chadwick's" 119
"Bonanza" 127
"Repeater" 134
"Marvel" 144
"Talmer" 152
"Omnigraph" 164
Hand cameras, Magazine 123
Haverstock Hill, Scare at 175
Hints and Helps 146, 153, 165
„ for operators 130
„ on enlarging 52, 62, 73, 85, 92, 102
Holiday homes 132
Home-made lantern, A 113
Hospitals, Slides for 86
How I became a lanternist, 74, 84, 93, 111, 129, 135, 157, 166, 182
How to make an illuminated fountain ... 111, 128

Illuminants, Comparison of 19
Illuminated fountain and how to make it ... 111, 128
Incandescent lamps for lanterns, Electric 102
„ light, New form of 178
Inside a regulator 118, 126, 134
Intermediate regulator 64

Jet, A mixing 127
„ wheels sticking, How to remedy 165

"Key" hand camera 28
"Kodak" „ 91

Lamps, Oil 60
„ To obtain best light from 74
Lantern, A binocular 72
„ A home-made 113
„ condensers, triple 90
„ curiosity, A 109
„ Experiments with the 6 12
„ Matters, Novelties in 142, 150
„ Microscope 155
„ Optics of the 121
„ Show, Reminiscences of my first 37
„ Slide, cameras 45
„ Slide making 94
„ Slide work 4. 11, 37
„ Society 4, 23, 148
„ „ a hint for the 39
„ „ Rules of 44
„ Stereoscopic effect with the ... 146, 155, 171, 185
„ topics, flashed on ... 51, 65, 77, 103, 114
„ Transparencies, making, printing and toning 10
Lanternist, How I became a, 74, 84, 93, 111, 128, 135 157, 166, 182
Lanternscope, A single 51
Large objective glasses, advantages of 48
Leach's lantern microscope 167, 186
Lectures for Societies 175
Lecturers, Practical hints to 173
„ Desk, light for 22
Lenses, Large *v.* small 20
Light, A new oxycalcium 23, 32
„ Rival to the electric 5
Limelight, Substitution for hydrogen for 109
Limes, Perforated 15
„ Turning 131
Lining for lanterns, Asbestos 6

Lost light... 29
Lucigraph, The 136

Magazine hand-cameras 123
Making transparencies 10
Marine signal, A.... 136
"Marvel" hand-camera... 144
Mat trimmers for slides... 20
Meetings of Societies, 7, 15, 23, 45, 56, 68, 79, 86, 96, 115, 123, 139, 158, 174
Metamorphosic effect slides 38
Microscope, Leach's lantern 167, 186
„ lantern 154
Microscopic objects, Photography of 63
Mixing jet, A 127
Music-halls and the lantern 38
Mystery, A 82, 98, 104

Natural colours applied to the lantern, Photography in 75
New form of incandescent light 178
Notes, 1, 9, 17, 25, 33, 47, 59, 71, 89, 99, 107, 117, 125, 133, 141, 149, 161, 177
Notes and Queries, 8, 16, 24, 32, 46, 58, 70, 80, 88, 98, 1 06, 116, 124, 132, 140, 148, 160, 176, 188
"Notes" on "Queries" 184
Novelties in lantern matters 142, 150

Object glasses for lanterns, Advantages of large ... 48
„ „ „ „ Influence of size .. 49
Oil lamps 60
„ lamp, Construction of 77
„ „ To obtain best light from 74
"Omnigraph" hand camera 164
One operation, Transparencies at 28
Open air entertainments 54
Opaque screen 158, 165, 170
Operators, Useful hints for 130
Optical pointer 54, 77
„ lantern, Experiments with the 6, 12
Optics of the lantern 121
Optimus magazine hand camera 35
Our Visits 164, 180
Oxy-calcium light, A new 22, 32
Oxygen from bottle, and hydrogen from main ... 127

Perforated limes 15
Photographers' Benevolent Association 175
Photography in natural colours applied to the lantern 75
Photo-micrographic transparencies 29, 35
Piping lying on floor 130
„ suspended... 131
Plain photographs projected in colours 82
Platinum 165
Pointer, An optical 54, 77
Pops with ether saturators, Cause of 132
Portable opaque screens 159, 165
„ screens 146, 169
Practical hints to lecturers 173
Pressure gauges 101
Printing transparencies 10
Projection, Arc light for 41, 53

"Quadrant," hand camera 2

Reading desk, Light for 22
Registration or dissolving with precision 112
Regulator, An intermediate 64
„ Explosion of a 148, 160
„ Inside a 118, 126, 134

PAGE

"Reliable" regulator 134
Reminiscences of my first lantern show 36
Repeater hand camera 134
Rival to the electric light, A 5
Rolling curtain effect 187

Saturator, Cause of pops with ether 132
„ Ether oxygen 56, 67, 78, 104
Scare at Haverstock Hill 175
Screen frames 75
Screens 23
„ Opaque 169
„ Portable opaque 159, 165, 170
„ Wanted a portable 146
Scott's saturator, Experiments with 120
Season, Has the lantern a 7
Selections 24, 46, 76, 176
Shenstone's enlarging apparatus 65
Shutter, New brass curtain 166
Signals for changing slides 39
Size of objectives, Influence of 49
Slides, Chromo-Litho 64, 67, 77
„ Colouring 130, 136, 144, 153, 170, 179
„ Copying engravings for 2
„ Exchange, A scheme of 54
„ Exchange of 115, 123
„ Fantoccini 101
„ For hospitals 86
„ Making 37, 94
„ „ by wet collodion process 172
„ „ (Comic) 30
„ „ Work Lantern 411
„ Metamorphosic 38
Small American lanterns 26, 43
Society Meetings ... 7, 15, 23, 45, 56, 68, 78, 86, 96, 115, 123, 139, 158, 174

PAGE

Statuary slides, Blocking out 15
„ "Made up" 19
Stereoscopic effect with the optical lantern ... 146, 155, 171, 185
Substitute for hydrogen for lime-light 109
Success of societies due largely to the lantern ... 8
Suffering Humanity, The lantern for, 60, 72, 78, 91, 106, 160
"Swinden-Earp" hand camera... 61

Table (discs and their relation to lens) 40
„ for ascertaining quantity of gas-cylinders ... 163
"Talmer" hand-camera... 152
Taps on gas-bags 7
Tent, A light folding 66
Toning bromide prints 145
„ transparencies 10, 18
Traill Taylor's triple condenser 183
Transparencies at one operation 28
„ making 37
„ „ toning, and printing ... 10
„ photomicrographic 29, 35
„ without a lantern, How to enjoy ... 51
Trimmers for slide mats 20
Triple condensers 90

Van and lantern of Good Templar Mission 138
"Vanneck" hand-camera 108
Verak 82
Visits, Our 164, 180

Washing sitters' faces 40, 55

Zirconia 162


ILLUSTRATIONS.

Automatic ejecting carrier 150
Beard's regulator... 126
"Bonanza" hand camera 127
"Chadwick" hand camera 119
"Collins'" hand camera... 83
Drayton lamp 7
Dresser's enlarging apparatus 52, 62, 65, 73, 84
Duplex regulator... 118
"Eclipse" hand camera 11
Enlarging apparatus 43
Electric incandescent lamp 102
Ether saturator 110
"Eureka" hand camera... 19
Exposometer 14
Flash lamp 43, 66, 85
Folding dark tent 150
Folding tent 66
Good Templar van 139
"Griffin" hand camera 49
Grip for tubing 31
Gauge for cylinders 142
"Guinea" hand camera... 100
Intermediate regulator 65
"Key" hand camera 28
"Kodak" hand camera 91
Lanternescope 51


Lantern microscope 155
Lucigraph 136
"Marvel" hand camera... 144
Mat trimmer 20
Metal binder for slides 142
Nameit apparatus 122
"Omnigraph" hand camera 164
Optical pointer 55
"Optimus" hand camera 35
Photometer 152
Plumb indicator... 77
"Quadrant" hand camera 3
Registration carriers 112
Reliable regulator 134
"Repeater" hand camera 134
Skeleton lantern 150
Slide clamp 77, 142
Small American lanterns 26, 27
Steward's mixing jet 143
Supplementary gas receptacle 142
"Swinden-Earp" hand camera 61
"Talmer" hand camera... 152
"Vanneck" hand camera 108
Verak apparatus 82
Watkins's screen frame... 169
Wick trimmer 95

JAMES LANCASTER & SON, Opticians, BIRMINGHAM.


The Largest Makers of Photographic Apparatus in the World. Upwards of 75,000 Cameras Sold.




The 1891 "Le Merveilleux" (Patent).
¼-pl 21/- ½-pl 42/- 1-pl 63/-




The 1891 "Le Meritoire" (Patent).
¼-pl 31/6 ½-pl 63/- 1-pl 90/-




The 1891 'Instantograph" (Patent).
¼-pl 42/- ½-pl 84/- 1-pl 126/-




The 1891 "Special Instantograph" (Patent). Brass-bound.
¼-pl 50/- ½-pl 100/- 1-pl 150/-




The 1891 "International" (Patent).
¼-pl 50/- ½-pl 100/- 1-pl 150/-




The 1891 "Special" Camera (Patent). No Lens or Stand.
¼-pl 50/- ½-pl 80/- 1-pl 105/-




The 1891 "Ladies'" Camera (Patent).
½-pl 35/- ½-pl 60/- 1-pl 85/-




Lancaster's Lantern Slide "Multum-in-Parvo."
Camera, Slide, Lens and Shutter. ½-pl 21/-



The 1891 "Extra Special First Quality Complete Set
1-pl 168/- ½-pl 252/- 1-pl 336/-



Lancaster's Combination "Multum-in-Parvo."
For Enlarging and Reducing.
¼-pl 35/- 10 x 8 42/- 12 x 10 50/- 15 x 12 63/-
18 x 16 105/- 24 x 20 126/-



The "Lancaster" First Quality Enlarging Lantern.


With 6in. Condensers	...	1st quality		126/-
„ 7in.	„	...	„	168/-
„ 8in.	„	...	„	189/-
„ 9in.	„	...	„	210/-
„ 10in.		...	„	252/-

FORTIETH THOUSAND.


"HOW TO BE A SUCCESSFUL AMATEUR PHOTOGRAPHER."

By W. J. LANCASTER, F.C.S., etc.
POST FREE, SIXPENCE.


Fully Illustrated and Descriptive Catalogue of
PHOTOGRAPHIC APPARATUS
POST FREE, FOURPENCE.
Ditto of LANTERNS, etc., THREEPENCE




The "Lancaster" Enlarging Lantern.
With 5in Condensers, etc. 63/-
„ 6in. „ 84/-




Lancaster's "Hiero" Washer.
For Negatives or Prints.
For 1 doz. ½-pl 5/- ½-pl 7/6 1-pl 10/6




Lancaster's Amateur Enlarging and Home Lantern.
With 4in. Condensers, Achromatic Front
3-Wick Lamp etc. .. 42/-



Lancaster's First Quality Tri-unial Lantern.
Price Complete ... £17 10s.
Cheaper Form ... £8 8s.



The "Excelsior" Lantern
With 4in. Condensers. Best Achro. Front, 4-wick Lamp, etc. .. 63/-



Lancaster's New "Rubralux" Lamp. (Patent).
Can be used as a White, Yellow, Ruby, or Deep Ruby Light 7/6
Larger Lamp, 10/6

THOMAS'S
COLLODIO-BROMIDE SUBSTITUTE.

PERFECT FOR

WINDOW TRANSPARENCIES	}	On finest Glass, Plain or Ground,
STERO Ditto	}	Ordinary Thickness or Specially Thin.
LANTERN Ditto		On Specially Selected Thin, 1s. per doz.

SOLD BY ALL DEALERS, OR AT OUR

Central Depot, 10, Pall Mall, London, S.W

Telegrams—RUHTRA, LONDON. Telephone No. 35037.

FOR FIRST-CLASS SLIDES AND COLOURING

SEND TO

Frederick J. Stedman,
Dissolving View Artist,
174, Bridge Road,
Battersea, London, S.W.

STAMP.

Slides prepared from customers' negatives, prints, photographs, etc.

Catalogue & Price List post free on application.

LAMP.—The lamp I first tried had the chimney rather low, a moderate draft, and consequently a moderate light. I found the exposure under these conditions for an ordinary negative to be from twelve to sixteen minutes; the light standing close to the condenser, and the ground-glass and the negative also close to the condenser. I next had the light turned higher, increased the draught by lengthening the chimney, and found that ten minutes' exposure with Mawson's plates was sufficient, but only in one case during several dozen slides thus made have I had one thoroughly over-exposed plate.

I have now settled down to work in the following order: Chimney and lamp full height, flame well up, all power possible; lamp close to the condenser, negative close to condenser, exposure as I say on an average of ten minutes.

MANNER OF OPERATING.—I first fix the plate in the box, place the negative in the end of the box, get the whole apparatus in position, start the lamp going, time the start by a watch which I hang near the lamp, doing all this in an outer room. I then retire to the dark room, light up the coloured lamp, effectively darken the room, place the developer, fixing, clearing, all dishes and solution ready for work. By the time this is done I look at my watch in my pocket, which I have put to identically the same time as the aforesaid watch; the time is up, I take the box into the dark room, extract the plate, and put it in a slide box, cover it up, place in another plate, change the negative, carry the apparatus back, and commence another exposure, timing as before, return to dark room and start developing. I find that about a minute brings out the positive, using Hydroquinone (Thomas) mixed ready for use, two solutions equal quantity. I have tried Hintoquinone and others, but for slide work much prefer this. It is not too violent, there is no trouble of regulating its strength, and I have not found it too strong or too weak. I have found with Hintoquinone that unless the lantern plate is developed very quickly there was a slight stain, although with a plate that developed quickly I found Hintoquinone answer. I am not sufficient chemist to know the cause of one result coming instead of another, but there is the fact as I found it. At the end of five minutes my plate is washed, then I immerse it in the fixing solution, wash it well in the same, then rewash under the tap and place in clearing bath. By this time there is only some two or three minutes to wait for the next plate, but generally indeed with one thing or another I found the time fully occupied, and by the time I had completed the developing portion the time was up for extracting the next, and so on. The number of slides made in an hour averaged about five, not more. This may be thought slow work, but I do not see how, taking one thing with another, more could be produced.

PLANT REQUIRED.—The plant I used was as follows: A small table put out on a large landing, on the top of the table a cork bath mat some 4ft. long—the object of this is to prevent any leakage from the lamp going on the table, and I also found the cork prevented the thing slipping too readily one way or the other—then I placed the lamp and condenser in its carrier, with the box elevated to the right level. This can all be placed in position in five minutes, and put away in the same time.

The objection may be raised that any apparatus for a ½ plate would not take a ¼ plate. I found that it does, and a 5 x 4 too. It is so focussed that the ½ plate makes it cover nearly the whole of the lantern plate, and even the ¼ negative is not too small in proportion. I tried a double-wick paraffin lamp, but failed, even with condenser.

If in these chapters the experiments I have so successfully tried can be found to be of any material help to any brother similarly struggling with the delightful winter pastime of slide making, I shall consider myself repaid.—I now beg, therefore, to sign myself, theirs and your servant, T. H. HOLDING.

—:o:—

Mr. J. Traill Taylor's Form of Triple Condenser and Fittings.

BY T. E. FRESHWATER.*

THIS form of condenser consists of two lenses, five inches in diameter and a smaller collecting lens. The principle upon which this condenser is constructed is that the first lens takes up an angle of 95deg. of light from the radiant which is parallelised by the second lens. The third lens cones down this parallel beam so as to fill the focussing lens, and is made removable, so that similar lenses of different foci may be substituted to suit various objectives of long or short focus.

In optical or magic lanterns where large condensers are used to cone the light down through the picture on to the focussing lens, it is obvious that it is advisable to place the picture at such a distance from the condenser so that the whole of the cone of light passes through it, that the utmost illumination may be obtained on the screen. This object is frequently attained by moving the slide forward till it reaches the desired position; but this necessarily puts it out of its right position as regards the front lens, so that it has to be re-focussed, besides which the amount of variation shown on the screen by re-focussing, &c., prevents the operator from ascertaining the effect the movement of the picture has on the illumination.

This was partly remedied afterwards by moving the focussing lens *with* the picture; but this, besides altering the size of the picture on the screen, could only be fitted to the best forms of lanterns at the expense of rigidity, which, though of less importance in a cheap, simple lantern, is fatal in the case of lanterns with heavy lenses of twelve and fourteen inch focus, the fronts of which should be rigidly attached to the condensers, so that the axis of the lenses may be kept optically true.

To obviate these difficulties, the condenser (preferably a triple combination, five inches in diameter) is placed in a solid brass mount fixed to a brass base in grooves on the tray upon which the lime-jet fits. This brass base travels by double racks-and-pinions, or screws on a stout metal bed-plate, to which the front plate of the lantern carrying the picture and focussing lenses is also permanently attached.

By this means we can, after focussing the picture on the screen, move both condenser and jet together away from the slide without affecting the picture on

* London and Provincial Photographic Association.

the screen in any way except by increase or decrease of illumination, and so can adjust the relative positions of the cone and the picture without difficulty.

Should slides of various shapes and sizes require to be exhibited in succession, the condenser and jet may, if desired, be racked backwards or forwards to suit any one of them without altering any of the other adjustments, and without moving or affecting the picture on the screen in any way, except by increasing its brilliancy.

The lantern front, being fixed to the bed-plate, is perfectly rigid, and if it requires tilting up or down to make the disc coincide with other discs on the screen, this may be done in the usual way, without in any way affecting the optic axis, as the jet, condenser, slide, and front lens all move together.

The tray carrying the jet is preferably fitted with rack motions, and made to slide into grooves on the travelling base of the lantern, so that, though it can be moved, together with the condenser, by means of the rack already described, it can also be moved independently to and from the condenser, above and below, and to right and left of the optic axis, so that it may be readily centred.

——:o:——

"Notes" on "Queries."

BY THE OLD 'UN.

IN the November issue there is a reply to "Ed. Summers" on the deterioration of oxygen in a gas-bag, which suggests that such is caused by the naphtha vapour from the india-rubber solution, always present in a new bag. But it is well known that in all bags, new or old oxygen and hydrogen will deteriorate very rapidly, a few days being often sufficient to make oxygen comparatively worthless, and hydrogen in time becoming explosive by simple dilution with the atmosphere. The cause is to be found in the well-known osmotic action of gases or fluids enclosed in a membrane, the gas inside changing places with the air outside, in spite of the apparently gas-proof bag which intervenes. Gas-bags should never be filled more than twenty-four hours before use, and as much less as possible if the gas is to do its best.

Another correspondent ("De Mendlie Hall") has a suggestion of using two or three jets to play upon one lime surface to increase the light. It will probably interest him to know that this has been tried in almost every way in connection with theatrical illumination, but has not proved to be a success. If the jets play upon nearly the same point the flames interfere with each other, and do not give the increased light which might be expected. If they are separated so as to give each jet a chance, the points of light are as distinct as though each were a separate piece of lime, without so good a result as to body of light as separate limes would give. I am afraid, therefore, the idea, which it will be seen is not new, will not be found worth the trouble and expense involved in carrying it out.

The correspondent "Gourdnam," who seems to wish to drop his oxygen-cylinder from the top of a house, may be comforted by the information that the actual experiment has been tried by the Manchester Oxygen Company, who, in reference to the explosions of a few years ago, subjected a number of charged cylinders to a series of most extraordinary tests, which only resulted in denting and defacing the cylinders. They would not explode, and they would not even leak, and the pressure at the close was found to be undisturbed by the rough treatment which had been given. At the same time, regard for one's own property, and the property of others, would suggest that gas-cylinders, with their soft gun-metal valves and screws, should always be treated with care, and not be used as handy weights, either to break coals, or ram stones with, although both purposes might be served without much risk of danger.

——:o:——

The Eth-oxo Light.

BY ALFRED LOMAX.

THE safety and practical utility of the above-named light is much questioned. Its proved advantages appear to be—so far as the general public is concerned—its splendid brilliancy and tempting convenience.

The only apparent drawback is the unrest and doubt concerning its safety in use. Some say there is actual danger in its use; others, that though there is no danger in itself, it is a source of danger from its liability to be the cause of panics in audiences.

In my own opinion, the light is quite safe in use, but at the same time it is requisite that those who use this form of light should first comprehend the principles which regulate its working. It is an easy matter to render things that are most harmless in themselves hurtful from improper use.

Use a saturator that may be warmed, for the colder the conditions are, the less saturating power the ether possesses, and as one cause of explosion is in consequence of the oxygen not taking up a sufficient amount of ether, the necessity of warmth as an aid becomes apparent. Of course it causes a little trouble, which is not a bad thing, for the less we have to do the less we feel inclined to do.

Always allow plenty of time for the liquid to thoroughly saturate before draining, and do not use the saturator for too long a time ere re-saturating. When such a condition as the latter is allowed, the amount of vapour is greatly lessened and the oxygen cannot obtain a sufficient supply and the character of the light is now stronger, and it will be found that the one current of ether vapour will give a light of great brilliance, without the aid of the pure oxygen current. In such conditions the gas is explosive.

The bore of the jet should be very small. Do not turn oxygen tap off first; let the flame be out ere you check the flow of gas, otherwise you will give it a practical invitation to pass backwards.

Use safety valves, not from fear but from prudence. When explosions take place it is in the jet chamber—I had almost said explosion chamber. It is not far from the orifice of the jet to this chamber, hence the more reason for care. In case of explosion, however, the valves will save your saturator from firing, which will also save your pocket.


Will a saturator explode if a flame reaches it? Well. I will relate a personal experience. While

MOORE'S COMBINATION FRAMES.

Mat and Preserver combined for Magic Lantern and Stereoscope Slides. The best thing ever invented for Stereoscope Slides; can be used a dozen times with little trouble. There is an enamelled tablet at each end of frame for the description of slide.


NEW REGISTERED DESIGNS IN METAL FRAMES.

STEREOSCOPE SLIDES (Regd.)




Packed in dozen Boxes, price **2/6.** Size 6½ by 3¼, and 6¾ by 3¼.

MAGIC LANTERN SLIDES Regd.)



Price 12/- per Gross.



Landscape and Statuary, price 12/- per Gross.

SPECIAL METALLIC CEMENT



In Bottles, **6d.** and **1s.** each

PRESSING TOOL (Regd.)
Register No. 156,356.



Price 1s. 3d. each.

The Pressing Tool and Cement are absolutely necessary to the production of good work. One **1s.** Bottle of Cement will, with care, do one gross of Frames. Full Directions on each Box.

ADVANTAGES.—Mat and Preserver combined. No Black Paper Mat required. No Breakage at the Corners. The Apertures, Round, Cushion, or other shapes are always in the centre of the Glass. Decidedly the best protection against the Breakage of Glasses that has ever been produced.

AGENTS.—*London:* Messrs. Adams & Co., 81, Aldersgate-st., E.C.; 26, Charing Cross-rd; Mr. J. Fallowfield, Charing Cross-road, W. *Liverpool:* Mr. John J. Atkinson, Manchester-street. *Manchester:* Mr. J. T. Chapman, Albert Square. *Edinburgh:* Mr. J. Turnbull, 6, Rose-street. Or direct from the Manufacturer—**JAMES MOORE, 18, VAUXHALL STREET, BIRMINGHAM.**

THE "TALMER" DOES THE BEST.

FULL PARTICULARS AND PAMPHLET FREE.

Specimens of Work, 3d. each.

The advantages and special features of this Camera cannot possibly be described or enumerated in an advertisement.

TALBOT & EAMER,

7, EXCHANGE STREET,

BLACKBURN.

VALENTINE & SONS'

PHOTOGRAPHS

OF

ENGLAND, SCOTLAND, WALES, NORWAY, SPAIN, MOROCCO, WEST INDIES, &c.,

COMPRISING OVER

30,000 :0: VIEWS.

MANUFACTURERS OF

LANTERN SLIDES,

Lecture Sets, Clouds, Shipping, Animals, &c.

HEAD OFFICE AND WORKS:

152 and 154, PERTH ROAD, DUNDEE.

LONDON OFFICE:

1a, CRAIG'S COURT, CHARING CROSS, S.W.

Catalogues application

TO AMATEUR PHOTOGRAPHERS!

THE UBIQUITOUS, AND HIS PORTABLE DARK TENT,

A Set of Humorous Sketches, price **6d.**, by W. RALSTON.
The Glasgow Herald says :—"The Sketches are very funny."

UNIFORM WITH ABOVE—


A Shooting Adventure. A Fishing Adventure. A Bicycling Adventure. A Boating Adventure.

Tales without words. Each Booklet contains 12 sketches, 6d. each.

The "Ubiquitous" and "Adventure" Series can now be had as Lantern Slides, price 12s. per Set.

MORISON BROS.,

Publishers, 99, Buchanan St., Glasgow, and all Photo Dealers.



TO LANTERNISTS.

Those requiring the most Practical Apparatus at a reasonable price, should send for our **New Illustrated Catalogue of Apparatus and Slides,** upwards of 350 pages, containing **"Practical Instructions to Practical Lanternists by Practical Men," by Messrs. D. W. NOAKES and C. W. LOCKE.** Post free 12 stamps,—Apparatus only, 6 stamps. Containing particulars and illustrations of all our recent and Patented Lantern Novelties.


Every improvement in our Apparatus suggested by long personal experience, Mr. D. W. Noakes and Mr. C. W. Locke, two principals of the firm, having personally operated at 5,000 Exhibitions.

Specialities:

High-Class Optical Projection Lenses.
High-Class Optical Lanterns, Cameras, and Enlarging Apparatus, &c.

No LANTERN Complete without NOAKES' Patent INTERMEDIATE REGULATOR.

Intermediate Regulator for Jets saves 15 per cent. of gas, price 4/-.



See page 64 *Optical Magic Lantern Journal*, for Dec., 1890

These are selling by hundreds and are highly praised by all users.

This most useful contrivance, when attached to Lime-light Jets, stops all noise and roaring when compressed gas is used. Its construction permits the proper quantities of Oxy and Hydrogen to be adjusted in the most accurate and minute manner, thus balancing the gasses, stopping roaring, and getting the most intense light with the minimum quantities of gas.

It is so constructed that it screws into the back of the Jet Cocks in lieu of the usual bends, or can be attached direct to the Jet Tubes.

D. NOAKES & SON,
WHOLESALE AND RETAIL MAKERS,
South London Optical Works, Greenwich, London, S.E.

Telephone 8029. Hours: 9 till 8, Thursday 9 till 2. "Practical utility without useless elaboration or expensive ornamentation."

exhibiting in a large hall situated in a large town, one of the popularly-named "pops" occurred at the conclusion of the lecture. The light passed backwards, and, through working without safety valves, the tank immediately fired. At first the flame found passage through the outlets of the saturator, but soon asserted its power in burning and melting the barrels of the saturator, mounting two or three feet high into the air. In a short time, however, it died away and went out. There was not the slightest noise; merely a bonfire, and that was the end of it.

I think the reader will agree that the above was a practical test of the explodibility of the ordinary saturator. The accident did me good; its kindness was rough but genuine. I am wiser now—for I have ever made use of accidents, when they did occur, and difficulty to increase my knowledge—though it is no excuse for me using the saturator without properly knowing how to use it. Scientific theory is well and valuable, but not enough.

I still hold that saturators are in every way safe, when carefully used. Pops can always be traced to carelessness, want of knowledge, or inadaptable apparatus. The nautical couplet might here be well applied :—

"Both in safety and in doubt
Always keep a good look-out."

——:o:——

Stereoscopic Effects with the Lantern.

BY GEO. H. SLIGHT.

I HAVE felt somewhat disappointed with Mr. Teale's elaborate article on "Stereoscopic Effects with the Optical Lantern," for, while it contains a number of truths, it also contains a number of vague if not mistaken ideas, while the particular subject of the essay seems to be as much out of reach as ever.

The way in which he explains stereoscopic relief is especially indefinite: thus "these double pictures are assimilated or registered by the natural functions of the eyes, the result of a combined physical and mental effort, cultivated, it is claimed, during infancy." This may perhaps be true, but the perception of stereoscopic relief is so purely mechanical, that it surely does not require to be hidden behind a lot of vague generalisms.

The fact is, that when we look at natural objects with both eyes, we do not require any special training, or to trouble our heads, or eyes, about thinking we are looking at two images, but we first of all direct our eyes to one point and we see it distinctly as one point, the two images forming one. Every other part of the object that may be indistinctly seen—except those the same distance from the eyes, is doubled, but the eyes at that instant are, so to speak, oblivious to this doubling.

When the eyes are allowed to wander to another point, it is then seen as one, and the first point, if seen at all, is probably doubled, and so on over the whole scene.

Perhaps the most wonderful thing in connection with this wandering of the eyes over the successive points in the view, is the, in one sense. unconscious alteration which takes place in the visual angle, or the angle formed by the axes of the eyes. When a distant object is seen, the axes are parallel, or form a very small angle, but when an object is near, and the eyes are directed to it, the axes must converge and form a larger angle; and there is no doubt that this alteration in the visual angle gives us a measure of the relative distance of different objects, and we feel, as it were, that as the angle increases or diminishes, so is the object near or distant. In the stereoscope, again, the objects being represented exactly as they appear to our two eyes, the various points combine, one at a time, as they did when we saw the actual objects; and as the distant objects, in the two pictures, are farther apart on the slide than nearer ones, there is necessarily the same continual alteration of the visual angle as there was in looking at the actual objects, and precisely the same idea of distance or solidity.

In adapting the lantern to stereoscopic vision, Mr. Teale appears to recommend that the two pictures should be super-imposed and looked at from one particular point of view; but such pictures vary so much that, even with the most correct registering, they could not possibly coincide, except in a few points which might happen to be on the same plane, or at the same distance from the cameras in the original; and as other points, on different planes, would be doubled, the eyes, however much they were strained, could not possibly see them as single, because there would still remain for each eye the less distinct duplicate point belonging to the second picture, and nothing but confusion could be the result.

It may, therefore, be held as impracticable to give stereoscopic relief by means of super-imposed pictures equally illuminated. The method of doing it by differently-coloured pictures is another question altogether, which at best can only be approximately satisfactory.

Without proper trial it is, perhaps, unsafe to speak with anything like certainty, but from experiments made with ordinary stereoscopic slides, I am inclined to think that the particular point from which a stereoscopic picture is seen, is not of such great consequence as Mr. Teale alleges, and that, although correct perspective may be sacrificed by oblique vision, stereoscopic relief may be possible at a considerable angle from the correct centre line. I would, therefore, suggest the very prosaic way of exhibiting lantern stereoscopic pictures exactly as in a common stereoscope—that is showing them side by side, by means of two lanterns placed as far apart as the centres of the screens or discs, and let the spectators look at them, each through his own pair of non-magnifying prisms, in order to combine them as in a stereoscope. If such prisms could be made adjustable, so that they might receive the rays of light from the screen at different angles of convergence, they could be readily used at various distances from the screen.

It goes almost without saying, that the best position from which to see such pictures would be directly in front of them, and as far off as distinct vision would allow; but I believe that they could be fairly well seen from a considerable distance on either side; and at different distances in front, while, in the very worst positions, where only one of the two pictures could be correctly seen, it would be as satisfactory as looking at an ordinary single-lantern picture.

Hints and Helps.—No. 4.

By C. E. Rendle.

CHRISTMASTIDE REMINISCENCES.

"I love to sit with the children
Around the Christmas fire,
And tell them fairy legends,
Of which we never tire.
When the snow has fallen and drifted,
When hips and haws are ripe,
I draw my chair close to the hearth,
And so enjoy my pipe."
The Gardener's Song of the Seasons.

By digressing somewhat from my subject, the Editor will no doubt pardon me when he considers the approaching season, the season when all lanternists should (so to speak) be up to their ears in business. The flood-gates of that mysterious something, known as Christmas literature, have been thrown wide open; the shop windows are teeming with pictures of all sizes and colours. Christmas Cards are in abundance—some pretty, others novel, and some so beautiful, that one is at a loss to know where the ideas emanate from. The historical associations of the twenty-fifth are too familiar to dwell upon. It has been called the children's boon—a fact we will endorse in its entirety, for although, as the years advance, we are apt to get tired of the repeated excitement, the youngster will ever be charmed (so long as their ignorance lasts) with the yearly visits of their old, dear old friend, "Santa Claus," who creeps so successfully down everybody's chimney, leaving some traces behind him that he was not unmindful of their recent good behaviour. The huge collection this strange old personage carries with him is beyond comprehension, from a bon-bon to an elephant:

"There are balls, books, and horses,
All pleasing to see,
And birds of all colours are perched on the tree;
While Santa Claus laughing
Stands out at the top,
As if getting ready more presents to drop."

The first lantern experience I can remember dates from the Christmas evening of 1860. I was a boy at school. I think it wise to mention this that I may not be considered older than I really am. It was a severe winter. The ponds frozen over at the foot of the meadow, where we skated all Christmas morning. The fields were covered with snow; our little cottage, in the north of England, enveloped by hoar-frost. Uncle Bob had brought us about a month previously, a book of a real pantomime, and promised to paint some pictures to illustrate the dialogue with his magic lantern, if we would undertake to study the parts. That was enough. There were my brothers and sisters, and one or two other brothers and sisters, assembled next evening to hear mother read "Valentine and Orson; or, the Wild Man and the Gorilla," after which the parts would be chosen. Bridget, my eldest sister, was the selected Valentine, while the narrator was to be the Orson. Uncle Bob generously volunteered to be cast for the Gorilla, who really had nothing to say, the speciality of the part being to groan in the right place. The rehearsals were enthusiastic. Mother worked very hard as general tutor, musical director, and so on, while the scenic artist was getting on as quickly with his painted slides as he could wish. There were a dozen pictures in all for this lengthy exhibition. Remember we had not the facilities for making a selection from a catalogue such as you see to-day, but glad to get *what* we could. The evening came; the lantern set up; the sheet across the kitchen; exhibitor and performers on one side, the invited guests on the other. I've thought since the anticipation was greater than the realization, for Uncle Bob was in difficulties before the first item was closed—the lamp went out; the colza was bad. The band had to play while the fault was put right. After that, however, things improved; everything went well, and success was our reward. How we shouted with delight; we could not speak our lines for laughing; the part-singing was impeded with an occasional ripple; and Uncle Bob could not groan for the hilarity underneath his waistcoat. Imagine, if you can, a hand-painted slide about a foot square, the principal characters in which were movable; the scene—a rocky mountain; Valentine's visit to Orson's home; the Gorilla (Orson's mother), dancing around, while her son describes, in pathetic language, something about his infancy. Take a verse:—

Air: "The Power of Love."


Orson: "This, my mother dear I which I so much adore,
My infancy did rear, upon this rocky floor,
Taught me first to steal, and take what wasn't mine:
Mutton, pork, and veal for us both to dine.
Don't I love my mother."
Gorilla: "Growls."
Orson: "This, my only mother."
Gorilla: "Growls and howls. . . . ."

But it gave pleasure to us youngsters; and much can be done in this way by any of us possessing a lantern, however crude it may be. I should look to-day upon Uncle Bob's with suspicion; but why should I? He did his best; the best of us can do no more. Let Christmas night be for the children's show; they will never forget it; you will never regret it.

—:o:—

Editorial Table.

Lantern Carrier.—We have received from Messrs. Perken, Son, and Rayment, a new form of carrier



which by pressure on a pin causes the lantern slide to rise up into the hand. The engraving will at once show its principle.

Lecturer's Reading Lamp and Desk.—A short time ago, Mr. W. I. Chadwick sent us a parcel of small dimensions, which on being unpacked and the contents unfolded and set up, proved to be a complete

STANIFORTH'S PATENT JET HOLDER AND REGULATOR.

For Raising, Centreing, or Lowering Optical Lantern Jets to a nicety. Very simple. Can be fitted to any existing Lantern. No Tray required.

THIS Holder has been highly praised by J. B. Malden, Esq.; J. Traill Taylor, Esq., Editor of "British Journal of Photography;" C. Hastings, Esq., Editor of "Amateur Photographer;" J. Hay Taylor, Esq., "Optical Lantern Journal;" and all who have seen or used it, and they say it is one of the best things they have ever seen, and just the thing all Lanternists require, as it is so simple to work that the light can be focussed while the picture is on the screen.




FIG. 1.




FIG. 2.

Price 10s. each.

DIRECTIONS FOR USE.—Take off the nut A and place jet under the clamp C, then screw down the nut just sufficient to allow the jet to be moved backwards or forwards, right or left. To move the jet up or down turn the wheel D. When the light is properly focussed screw down the nut A.

To adapt the Jet Holder to single lanterns see fig. 2, which is a piece of wood 1¼ in. wide. At one end is a peg E at the other a set-screw F. To fix it into the Lantern make a hole on one side for the peg, and one on the other side for the set-screw.

May be obtained of all Dealers in Lantern and Photographic Materials or of the Inventor and Patentee,


H. STANIFORTH, 62, FITZWILLIAM STREET, SHEFFIELD.

ASK YOUR OPTICIAN FOR

DUPLEX REGULATOR.

PERFECT FOR DISSOLVING.

30s.



30s.


TESTIMONIAL.

From Mr. NORTON, 38, Marchmont Street, Bloomsbury.

"Your Duplex Regulator is just the thing for dissolving when I use mixed gases. I never touch the taps of the bottles, and the light does not vary, whether using three lights or only one."

Manufacturer—A. CLARKSON,

28, BARTLETT'S BUILDINGS, HOLBORN CIRCUS, LONDON.



(Actual Size.)

"RELIABLE"
High Pressure Gas Regulator.

(SUITER'S PATENT.)

ADVANTAGES.

They are made entirely of metal, there being no rubber, leather, &c., to perish by contact with the gas. Extreme simplicity, there being no movable joints, &c., to require lubrication.

Can be used with either gas with safety, there being no oil for lubrication, nor any material to absorb the condensed hydro-carbons from the coal gas.

Will fit any gas vessel by simply changing the connecting piece (adapter).

Light and compact.

The manufacture of these Regulators is now perfected; each one is thoroughly tested to the highest pressure, and is guaranteed to automatically regulate the pressure of gas so that there shall not be any diminution in light when using either a Single, Bi-unial, or Tri-unial Lantern, for dissolving or effects, whatever the pressure in the gas vessel may be, the same as if gas-bags were used.

No person after once using these Regulators, would ever work without them, even with a single lantern.

Price 20/- each.

"POCKET"
Pressure Gauge.

(SUITER'S.)


For showing the quantity of gas in Vessels. This is a most useful instrument and has been designed specially for the purpose. By its use the quantity of gas received from the compressors can be checked, and it is very essential to know how much gas you have before commencing an exhibition.

ADVANTAGES.

There is no glass nor fragile hand to be broken.

There is nothing in them that can burst, even if subjected to ten times the greatest pressure the gas vessels are charged to.

Extreme simplicity, there being no cog-wheels, pinions, levers, &c., to get out of order.



(Half-Size.)

The cone ends (for connection to the gas vessel) are of burnished steel not liable to get dented, so a gas-tight joint can be made with a minimum of force.

Will fit any vessel by simply changing the connecting piece (adapter).

Light and very portable.

Price 20/- each.

When ordering, state what kind and size of screw it is required to connect to. The kinds usually met with are :—

Internal (female) screw, the portion that screws into it is $\frac{7}{8}$-in. diameter, either right-hand screw (oxygen) or left-hand screw (hydrogen).

External (male) screw $\frac{13}{16}$-in. diameter, either right or left hand.

External (male) screw $\frac{11}{16}$-in. diameter, either right or left hand.

The above can be obtained through any of the dealers in Lanterns and Slides.

desk, light, and stand for a lecturer. By grasping one end of a small stand and liberating a catch the legs of the stand fell into position, next a Russian iron lantern (which also acts as a box for fifty slides) was set upon a square head at the end of stand, a shade was then hinged back from this box, a flap, hinged into three, was opened up and hooked on to the lantern, the brass rod which carries a curtain was passed through two holes, and we had a desk and lamp which we value highly. The curtain which hangs to the ground gives the whole thing a substantial appearance.

WRAY'S CATALOGUE of photographic lenses is to hand. We observe that this firm (North Hill, Highgate, N.) is making a special feature of iris diaphragms, aluminium settings, casket lenses, and of lenses for hand cameras. These latter have a particularly neat appearance, are made of Jena glass, and are provided with either iris diaphragm or Waterhouse stops; the full opening of these lenses is F8, at which aperture they define with great sharpness. Numerous styles of lenses are shown and described, and at the end of the catalogue is a table giving the angle subtended by any lens on the ordinary sizes of plates.

NEW EFFECT SLIDE.—Mr. Underhill, of Croydon, has produced a set of Sandringham Hall, showing it by day, moonlight, and winter with snow effect, and also the hall on fire (Nov. 1, 1891).

"PHOTOGRAPHY IN A NUTSHELL" has reached its fourth edition, and has been enlarged and to an extent rewritten, consequently it will be found more interesting than ever. The book is published in the interests of Mr. Wm. Tylar, of Birmingham, who devotes about four dozen pages at the end to a description of the numerous goods in which he deals. The price of the book is one shilling.

TALES WITHOUT WORDS.—Five books of humorous sketches have been received from Messrs. Morison Brothers, 99, Buchanan-street, Glasgow. They include "A Fishing Adventure," "A Bicycling Adventure," "A Shooting Adventure," "A Boating Adventure," and "The Ubiquitous and his Portable Dark Tent." These will be found admirable subjects for reproducing as lantern slides, and will keep the juvenile portion of an audience (and for that matter the adults as well) in roars of laughter. These humorous books of sketches may be obtained at sixpence each.

SLIDES.—A humorous coloured set, illustrating "How Bill Adams won the Battle of Waterloo," is now being issued by Messrs. Levi and Co., London, who supply wholesale only. This set, with the accompanying story, will be found to be most laughable, and is specially brought out for the juveniles.

DESIGNS.—From particulars and prices obtained from the catalogue of Mr. F. Weeks, 21, Thorpe-road, Forest Gate, E. We observe that designs for slides can be executed from five shillings. The set of slides entitled, Temperance Picture Gallery, issued by the Band of Hope Union, have been made from Mr. Weeks's designs.

Correspondence.

RE CLICK IN BEARD'S REGULATOR.

[*To the Editor.*]

SIR,—The noise is undoubtedly caused by the coils of the spring not clearing each other properly in compression, and therefore cause the click in passing each other. Or the regulator perhaps requires readjusting. If "L. P. D." takes cover off, and holds his finger over outlet, and turns gas into regulator, he will see the height the bellows expands to; by holding the cover alongside he will see if the expanded bellows equals the height of cover, if so, it requires adjusting.—Yours, &c., R. R. BEARD.

62, Alscot-road, Bermondsey, S.E.

LANTERN MICROSCOPE.

[*To the Editor.*]

SIR,—Kindly permit me to say a few words in correction of Mr. Chadwick's paper on "Leach's Lantern Microscope," reported in the issue of November. That Mr. C. is considered a great authority on photography and the management of the lantern every one fully admits, but judging from his remarks on the lantern microscope, he has not ventured very far in the microscopic world. As one who constructed and worked the lantern microscope several years before even Mr. Leach, I think I am able to judge what such an instrument will do. In the first place, Mr. C. is against every authority regarding magnification. Extreme magnification, such as Mr. C. suggests, is condemned by every authority of note, both for the microscope and the lantern microscope. That the magnification which enables the observer to see *all* the details of an object is the largest to which it should be subjected, anything beyond this defeating the purpose. Mr. C. says that with his arrangement high powers can be used for class and other demonstrations, although he has previously stated that the arrangement of condensers is only adapted for objectives of four-tenths of an inch, which is by no means a high power. Mr. C. cannot surely be ignorant of the facts that lantern microscopes, of whatever make, have long been discarded by the college authorities where high powers are required. I see, too, that he has come round to my views, and does not recommend the use of special objectives.

His last paragraph but two is a contradiction of the previous portion of his paper, where he leads us to suppose that he can use high powers; that is, of course, one-fifteenth or one-twentieth of an inch objective with his arrangement, simply because he uses an alum trough. What he says is simply this, in order to use a high power requiring a large amount of light, interpose an alum trough, which stops 50 per cent. of the light! Mr. Chadwick does not seem to be aware of the fact that it is possible to focus the heat rays at a point beyond the luminous rays, and thus avoid all heating of the slide.

I should like to inform Mr. Chadwick that the substage condenser, of which he speaks, and the way of interchanging the objectives, was used by me more than sixteen years ago, and shown to Mr. Leach in 1876.

In conclusion, Mr. Chadwick says that lantern microscopes, which have no alum trough, are self-condemned. This I deny. I do not use an alum trough, and have never melted a slide.—Yours truly, J. A. FURNIVEL.

Manchester.

ROLLING CURTAIN SHUTTER.

[*To the Editor.*]

SIR,—In the concluding paragraph of an article in last month's *Optical Magic Latern Journal*, the writer (Mr. G. S. Thompson) says, "That as I do not know of any other shutter combining these advantages, I have patented

my idea." As it may interest him and your readers, I now append some particulars of shutters I have constructed.

I first adapted a supplemental slide to the curtain shutter of a triple lantern I built for Mr. Edward J. Smith, of Halifax, in 1887. This, I believe, was the *first* that permitted the curtain shutter *to remain always in the lantern* of either bi-unial or triple form, and allowed either two or three stages, as the case may be, to be used, *and also* provided for the perfect adjustment of the dividing line between the rolling up picture (of curtain, view, &c.) and the one being revealed. This was effected by a milled head screw from the top shoulder of the supplemental slide of shutter, which also obviates the removal of the shutter from the lantern, and facilitates an *exact* amount of adjustment.

I see by a letter sent me on 12th May, 1888, Mr. Smith says, "The special *double* curtain shutter you fitted to my new lantern last autumn has been much admired by both professionals and amateurs as a great improvement on the usual arrangement."

When I constructed Sir David Solomon's latest pattern large triple lantern, "The Premier," in August, 1890, I fitted a special curtain shutter, by means of which any two of the three stages could be used at will for rolling up effects, or the whole three exposed without removing any portion of the shutter from the lantern. The adjustment for dark line was also arranged for. In those described by Mr. Thompson, no provision seems to be made for adjusting the distance between opening and bottom of curtain shutter, hence the separating line of curtain and view on the screen may be much too broad and black, or white, according to the angle of the fronts and the focus of the objective.—Yours, &c., J. H. STEWARD.

406, Strand, London.

——:o:——

Notes and Queries.

Ch. Rice asks how he can render his lantern screen, which is made of calico, fireproof? *Answer.*—Soak it either in a saturated solution of alum, or tungstate of soda.

B. R. writes: "I hear that glass-lined tubing is now an article of commerce. Would this not be better for lantern connections than indiarubber, which causes gas, ether, &c., to deteriorate?" No; the fact of it being unbendable is against it.

J. C. Oliphant writes: "I saw it stated lately, by a speaker at a photographic society meeting, that there was a great advantage in using special colourless French glass for lantern slides, and that this is very largely done in America. Are such lantern plates to be obtained in this country?" *Answer.*—We have communicated with several makers respecting this query. The Britannia Works Company say that they do not coat this glass, as its cost would not find customers, and that the specially thin glass they use is sufficiently colourless for all practical purposes. *Messrs. R. Mawson and Swan* say they avoid French and Belgian glass, because of the inferior quality, but if there is any likelihood of a demand for a quantity, they would be prepared to coat it at the risk of the purchaser, that is, he must be prepared to pay for and accept all imperfections. *Messrs. B. J. Edwards and Co.* say that their lantern plates are coated on thin glass, so nearly colourless that even in micro-photography no colour is discernible. *The Fry Manufacturing Company* state that they keep lantern plates on French colourless glass for special customers, price 18s. a gross. Up to the time of going to press we had had no reply from Messrs. R. W. Thomas and Co. (Limited).

F. Weeks writes: "In 'Hints and Helps,' No. 3, C. E. R. mentions pivot holes getting too large, and suggests a remedy, but a much quicker and simpler way to obviate this, is to get a small piece (to size required) of thin sheet brass, bend into shell of a ferrule, and insert into pivot-hole of wheel."

R. G. W.—We replied per post.

W. Vicarey.—Thanks for particulars sent, also for your good wishes.

E. Andrews.—You will have received our reply ere this.

Archer and Son.—Package post arrived as we were going to press; consequently no time to try, and report in this issue.

John W. Spencer.—We do not know where the plates mentioned can be obtained, and would think that developing up would be preferable.

W. E. T. writes: "(1) Can you tell me if the hole in nipple of a mixed gas jet should be larger when using two cylinders than for bags, if so would it stop the roaring and give a better light? (2) Would the light be improved by passing the gases through a brass wire gauze placed in the chamber of jet." *Reply.*—(1) No. (2) Opinions are divided on this point, some holding the opinion that fine gauze is beneficial, whilst others dispense with it and find that the gasses mix readily without.

Bristol writes: "Is any ill effect, accident or explosion, likely to happen if I connect a steel cylinder, just charged with 40ft. of oxygen up to a cylinder which has been used down to 5ft., and allow as much as will pass from the full one into the nearly empty one? How many times may I do this with safety, without sending *the one* to be re-filled?" *Answer.*—There is no danger in connecting cylinders in the way you mention, but the number of times the one cylinder may be charged from the others depends, of course, upon its size. Practically, if a large and small cylinder are thus connected, and the valves opened for a few moments, upon testing each with a gauge, the large one will show greater pressure than the small.

J. Bennett.—If you consult the index in this issue, you will find a number of articles, both for and against ether saturators. The one you name is said to be quite safe, but as you speak of yourself as "a rather nervous person," who wishes to try lime-light instead of oil, we would recommend the blow-through jet.

S. John Sutton (Darabe).—We will send you an illustration of a lantern which has a moveable fitting for condenser, so that you can insert a large size for the purpose you name, or a smaller for ordinary lantern purposes.

H. M. Houghton.—It is more than probable that the bags when partly empty were re-filled with the wrong gasses.

Mrs. H. M. Scattergood.—You have our sympathy in your trouble. Shall be pleased to hear from your husband when he is again able to write.

Hampton, Judd and Co.—Received just as we were going to press.

Bull's-Eye.—"Flashes" came too late for this issue.


G. Y. L. E.—Yes, it is good.

B. J. Maldon.—Thanks; but received too late for this issue.

——:o:——

WE have been reluctantly compelled to omit several interesting Society Reports from this issue for want of space.

PATENT SKELETON LANTERN.



ELEGANT, SUBSTANTIAL, RIGID.

Send for Mr. HUGHES' Full Illustrated Catalogue, over 300 pages, 1s., postage 5d.; small ditto, 6d., postage 2d., giving useful and valuable information; also prices of every description of Lantern Apparatus, Slides, &c. Cheapest and Best Over 15 Patents. Perfection in every Direction.

In proof of this, Mr. HUGHES has constructed a most magnificent Triple for S. J. MALDEN, Esq. The **Docwra Triple** also gained the only Prize Medal and Highest Award, and used nightly at the Royal Polytechnic Institution; also by COLIN DOCWRA, Esq., Dr. H. GRATTAN GUINNESS, Capt. SELWYN, M.P., JOHN DOCWRA, Esq., Madame ADELINA PATTI, &c. His high-class Lanterns and Objectives supplied to Capt. C. READE and the Rev. FRANK WHITE, W. LANT CARPENTER, Esq., the Misses LEITCH; **therefore** go direct and have a first-class instrument, and not the Commercial. Three-wick Lanterns, **£1 7s. 6d.** 4-in. four-wick Lanterns, **£1 9s. 6d.** Mahogany Brass Fronted Bi-unial, 4-in., **£7 15s. 6d.** Teachers' Aid Science Lantern for all purposes, Oxyhydrogen Microscopes, &c. **Patent Presto** Carrier. 60,000 Slides from 6d. each; 300 Lecture Sets. The **Patent Bijou** Enlarging Lantern, with Rectangular Condensers, perfect results scientifically considered—Special, 5 by 4 4¼ by 3¼, **£7 10s.** Larger Sizes.

PAMPHENGOS.

Patent Portable Pamphengos has stood the test over twelve years against all imitations. A pure white light, perfect combustion, steady in burning, not altered by vibrations; glasses never break by heat. This season it is made very portable, with a gain of 20 per cent. more light. It is compared to lime-light. Price **£2 10s.** to **£6 6s.** New rotary Focussing arrangement. Not rack and pinion. Hundreds of Testimonials. A really high class Instrument.

Before deciding, consult Mr. HUGHES, who is Specialist and legitimate Manufacturer, who can give great value in high-class technical work.

PAMPHLETS FREE. LANTERNS & SLIDES ON HIRE.

The New Patent **PORTABLE FOLDING BI-UNIAL LANTERN** for Travelling. The front folds over which is covered by the body itself thus forming a case both unique and portable.

The New Patent **SIMPLEX DISSOLVING JET**, a Perfect Shut-off Jet, for either Single, Double, or Triple Lanterns, acting the same as the Four-way Dissolving Taps.

W. C. HUGHES, Brewster House, Mortimer Road, Kingsland.

Price 2d.; *per post* 2½d.

THE PHOTOGRAPHIC NEWS

A WEEKLY RECORD OF THE PROGRESS OF PHOTOGRAPHY.

The Photographic News

Is a high-class journal that has long been recognised as the guide and instructor of the beginner, the medium of communication and interchange of ideas between more advanced students, and the record of all improvements and discoveries which take place in photography and the allied sciences. It contains information derived from foreign as well as domestic sources; reviews of photographic books, reports of the transactions of English and foreign photographic societies replies to correspondents seeking information on photographic and other scientific subjects of a like nature, &c., &c.

PIPER & CARTER, 5, FURNIVAL STREET, HOLBORN, LONDON, E.C.

ALFRED UNDERHILL,

DISSOLVING VIEW ARTIST,

Designer and Producer of Mottoes, Curtains, Comic Stories, Funny Faces, Chromatropes, Photographic Effects, Mechanical, Lever, Slipping, and Skipping Slides. Transparencies produced from Customers' own Negatives. Engravings, &c. Slides Coloured, and Hand Paintings executed in first-class style.

NEW EFFECT SET,

BEAUTIFUL VENICE.

Photographed from Nature and Artistic Drawings.

THE VILLAGE BLACKSMITH.

10 Slides, including 3 Effects.

THE PICTURE GALLERY.

New Designs for Dissolving Views.

EIFFEL TOWER:

DOME & FOUNTAINS, EFFECTS, &c.

Catalogue and Price List Gratis and Post-free.

Address: 32, Clarendon Rd., West Croydon, Surrey,

NEAR LONDON.

WRAY'S LENSES

Are now fitted with

IRIS DIAPHRAGMS,

When required, at a small additional cost.

A **MEDAL** has been awarded for these **LENSES** at the Dundee and East of Scotland

PHOTOGRAPHIC EXHIBITION,


February, 1888.

W. WRAY, OPTICIAN,

North Hill, Highgate, London, N.

Prices and Illustrated Catalogue for Stam

TYLAR'S LANTERNESCOPE
Regd.



PRICES.—No. 1, PAPIER MACHE beautifully decorated by hand with floral and other designs, Nickel-plated Fittings, £1.
No. 2, Superior SOLID MAHOG. ANY, 25/-

THIS beautiful instrument enables you to exhibit your slides to friends while seated at a table in the most efficient manner, giving them great brilliancy and beauty, with a wonderful relief approaching stereoscopic effect.

Mr. A. R. DRESSER, Bexley Heath, highly recommends it. See his article on the best way to view lantern slides, in "Anthony's Bulletin of Photography, 1890."

Surgeon-Gen. RANKING, Leamington, another authority, says: "I am very much pleased with Lanternescope. It gives the slides an amount of relief approaching stereoscopic."

Advertising space is too costly an article to give more opinions as to its wonderful utility.

It puts a new power in the hands of possessors of lantern slides, and enables them to be utilized at any time without lighting up a lantern.

Send 4 stamps for Tylar's 1890 Calendar, 108 pages, fully illustrated.

W. TYLAR, 57, High St., Aston, Birmingham.

WORTH KNOWING.

Many persons would like to know where to send for the

BEST SLIDES,

AND WHEN MESSRS.

WILKINSON & CO.

Claim to be the Producers whose work ranks highest, they only echo their Customers' opinions.

Slides made from Negatives, Prints, &c., Plain or Coloured.


ADDRESS—

15, HOLMESIDE, SUNDERLAND.

ESTABLISHED 1859.

THE APPARATUS FOR LANTERN WORK.

SHEW'S ECLIPSE HAND CAMERA. Patent



SHEW'S POCKET ECLIPSE.

For pictures full 4¼ × 3¼. Weight, only 12 ounces.

EQUALLY SUITABLE FOR ARCHITECTURE, INTERIORS, &c.

SHEW'S BAMBOO WALKING CANE TRIPOD.



See "The Eclipse Pamphlet," free on application to

J. F. SHEW & CO., 87 & 88, NEWMAN STREET.

Four Doors off Oxford Street, London, W.

NEWTON & Co.,

Scientific Instrument Makers to Her Majesty the Queen, H.R.H. The Prince of Wales, The Admiralty, The War Department, The Indian and Foreign Governments.

By Special Appointment

To The Royal Institution of Great Britain, and The Science and Art Department, &c., MANUFACTURE

OPTICAL LANTERNS & SLIDES

Of the Highest Quality only.

SOLE MAKERS OF

The Patent "Refulgent" Lamps.
Wright's Lantern Microscopes.
Wright's Oxy-Hydrogen Jets with "Pringle cut off."
The "Miniature" Lanterns. The "Scientists" Bi-unial.
The Triple Rotating Electric Lantern, &c.

Illustrated Catalogue with Detailed List of Slides, **4d.**

3, FLEET STREET, LONDON.


Optical Projection," 2nd Edition, by LEWIS WRIGHT. A complete guide to the use of the Magic Lantern, the Lantern Microscope, Polariscope, and to the projection of Scientific Experiments. Nett, 4s. 6d.

Plain Photographic Slides, 12s. per dozen.

SAFETY POROUS

ETHER SATURATOR.

Lacquered Brass, 36/-



Nickel Plated, 41/-

FOR PRODUCING THE

ETHO-OXYGEN LIMELIGHT FOR OPTICAL LANTERNS.

Most powerful Illumination known. Economical. No trouble. Absolutely safe.

DISSOLVER AND LIME JET.

Specially constructed to work with Ether Saturator.

SOLE MAKERS—**I. P. CUTTS SUTTON & SONS,**
MANUFACTURING OPTICIANS, SHEFFIELD.
Also full Description and Testimonials on Application.

Printed and Published for the Proprietors by WOODFORD FAWCETT & Co., Dorset Works, Salisbury Square, E.C.